

# RemindIt for iPhone and iPad

## 1. Introduction

## 2. Local notifications

## 3. View orientation

## 4. App views on different iOS devices

### 4.1 iPhone 4, 4s

### 4.2 iPhone 5, 5s

### 4.3 iPhone 6, 6s

### 4.4 iPhone 6 Plus, 6s Plus

### 4.5 iPad 2, Retina, Air, Air 2

### 4.6 iPad Pro

## 5. Common information fields, controls

and alerts.

### 5.1 Common information fields, controls

(Reminders and Series of Reminders)

### 5.2 Common alerts (Reminders and

Series of Reminders)

[6. Main view](#)

[7. Reminders and Series of reminders](#)

[8. Reminder details view](#)

[9. Series of reminders view](#)

[9.1 Once](#)

[9.2 Days](#)

[9.3 Weeks](#)

[9.4 Months](#)

[9.5 Years](#)

[10. History view](#)

[11. History details view](#)

[12. Settings view](#)

[13. Sync settings view](#)

[14. Statistics view](#)

[15. Log view](#)

[16. Log details view](#)

[17. Help view](#)

# 1. Introduction

RemindIt is a very advanced app for managing of all your events and activities.

New	Reminders	Details
<input type="text" value="Q Enter search text"/>		
<b>2015-09-30 Wednesday</b>		
14:00	Fittnes	
15:00	Do backup	
15:05	Cal Ewa	
20:00	Take medicin	
<b>2015-10-01 Thursday</b>		
19:00	Fittnes	
<b>2015-10-02 Friday</b>		
20:00	Meet Albert	
<b>2015-10-04 Sunday</b>		
08:00	Take out garbage container	
18:00	Do backup	
<b>2015-10-05 Monday</b>		
11:00	Weekly unit meeting	
17:25	Call Henrik	
<b>2015-10-06 Tuesday</b>		
08:30	New reminder	
<b>2015-10-07 Wednesday</b>		
17:00	Call Bob	
<b>2015-10-09 Friday</b>		
10:30	Visit dentist	
<b>2015-10-17 Saturday</b>		
08:00	Wedding anniversary	
<b>2015-10-29 Thursday</b>		
18:30	Go out with Molly	
<b>2015-10-31 Saturday</b>		
08:20	Pay Visa invoce	
<b>2015-11-23 Monday</b>		
08:10	Grandma's birthday	
History		Show all 

To maintain your events and activities just create reminders for them.

Later on, when reminders are "in time" or "overdue", the local notifications will be sent to you:

- 1) A ring tone will be played.
- 2) The local notification information will be shown on your device. Notification will be also shown on your Apple Watch if it is paired with iPhone.
- 3) The number of "in time" or "overdue" reminders will appear as an app icon badge – a small number in the upper right corner of the app icon.

The app might be used for:

- 1) Notifications about private or business events.
- 2) Dispensing of medicines.
- 3) Time management.
- 4) Scheduling.
- 5) Tracking of event completion, by recording notes for every completed event or activity.

All reminders when they are "in time" or "overdue" need to be marked as "completed" or removed, otherwise a new notification will be resent.

Marking as "completed" might be performed by editing of the reminder status or simply by swiping of the reminder to the right. Reminders marked as done are saved in history.

App maintains five types of reminders:

- 1) One-time events – a reminder about something what need to be done on a defined date and time.
- 2) Daily, one or couple of times per day – requiring events with repetition pattern based on days.
- 3) Weekly events – requiring events with repetition pattern based on weeks.
- 4) Monthly events – requiring events with repetition pattern based on months.
- 5) Yearly events – requiring events with repetition pattern based on years.

In RemindIt app has been implemented total saving/restoration of state – it means that app might be interrupted at any time (by phone call, pressing one of device buttons, screen lock) and your data will not be lost. When app is activated next time you will have option to get your latest data back.

Starting from version 2.0 app supports iCloud data synchronization - data on all iOS devices with same iCloud account will be synchronized. You can decide what kind of

data should be synchronized (saved in iCloud); rest of data is saved locally.

App behavior can be customize by modification of settings – just tap "settings button" and adjust app parameters.

App help available in the app or on WWW contains detailed description of all app functions, services and options.


All app activities and events are recorded in the system log. Statistics about the app usage are accumulated.

App is optimized for iOS 9, iOS 8, iOS 7, and iOS 6 and supports all existing iOS devices.


Pictures in current document are taken from iOS9.x, iOS8.x and iOS7.x version of RemindIt. On devices, which are running older versions of iOS (6.x) some controls will look slightly different. Following table contains couple of examples of such differences.

### Button

iOS6.x



iOS9.x, iOS8.x, iOS7.x



## Picker

iOS6.x



iOS9.x, iOS8.x, iOS7.x



## Stepper

iOS6.x



iOS9.x, iOS8.x, iOS7.x



## Text field

iOS6.x

Click: On, Alert: On

iOS9.x, iOS8.x, iOS7.x

Click: On, Alert: On

## Switch

iOS6.x



iOS9.x, iOS8.x, iOS7.x



**Alert**  
iOS6.x




iOS9.x, iOS8.x, iOS7.x



## 2. Local notifications

When reminder become "due" the local notification is sent to the user:



A ring tone is played. Information about reminder is shown on top of screen.

Today

Notifications



RemindIt



**RemindIt** 17m ago  
2015-09-30 15:05 Cal Ewa

**RemindIt** 27m ago  
2015-09-30 15:00 Do backup

**RemindIt** 27m ago  
2015-09-30 15:00 Take medicin

**RemindIt** 1h ago  
2015-09-30 14:00 Fittnes

The local notification information is shown in Notification Center. Notification will be also shown on your Apple Watch if it is paired with your iPhone.



Game Center



Contacts



Photos



Safari



RemindIt



SortItPro



ClockIt



Timelt



SortIt



Logint



LocateIt




The number of "in time" or "overdue" reminders appear as an app icon badge – a small number in the upper right corner of the app icon.

[\[Back to top\]](#)


### 3. View orientation

All app view works in portrait and landscape orientation:



Portrait orientation

Or



## Landscape orientation

Just select orientation, which is most convenient for you. View orientation might be change at any time.

[\[Back to top\]](#)

# 4. App views on different iOS devices

App supports all current iOS devices:

- iPhone 4, 4s
- iPhone 5, 5s
- iPhone 6, 6s
- iPhone 6 Plus, 6s Plus
- iPad 2, Retina, Air, Air 2
- iPad Pro


App views are designed to optimally use different iOS devices capabilities. In following sections you can see couple of screen shots of one of app view on different iOS devices with different versions of iOS.

## 4.1 iPhone 4, 4s

iOS6:



iOS7, iOS8, iOS9:



# 4.2 iPhone 5, 5s

iOS6:





iOS7, iOS8, iOS9:





# 4.3 iPhone 6, 6s

iOS7, iOS8, iOS9:



# 4.4 iPhone 6 Plus, 6s Plus

iOS7, iOS8, iOS9:



# 4.5 iPad 2, Retina, Air, Air 2

iOS6:



Done

# Settings

Log

Time format

Date format

Show future reminders for following number of days  - +

Sounds

Max number of historical reminders  - +

Max number of log entries  - +

iCloud get

iCloud put

Sync settings

Help



Carrier 10:51 PM 100%

Done Settings Log

Time format

Date format

Show future reminders for following number of days

Sounds

Max number of historical reminders

Max number of log entries

Remindit, 2.0, build 6925, 2015-10-29  
Copyright (c) 2011-2015 JZ1FKonsult AB

Time format HH:MM:SS

Date format yyyy-mm-dd

Show future reminders for following number of days 31 - +

Sounds Click: Off, Alert: On

Max number of historical reminders 10000 - +

Max number of log entries 10000 - +

iCloud get

iCloud put

Sync settings

Help



# 4.6 iPad Pro

iOS9:

Carrier 10:56 PM 100%

Done Settings Log

Time format HH:MM:SS

Date format yyyy-mm-dd

Show future reminders for following number of days 31 - +

Sounds Click: Off, Alert: On

Max number of historical reminders 10000 - +

Max number of log entries 10000 - +

iCloud get iCloud put Sync settings Help

Remindat, 2.0, build 6925, 2015-10-29  
Copyright (c) 2011-2015 JZ IT-Konsult AB

ⓘ

Time format

HH:MM:SS

Date format

yyyy-mm-dd

Show future reminders for following number of days

31



Sounds

Click: Off, Alert: On

Max number of historical reminders

10000



Max number of log entries

10000



iCloud get

iCloud put

Sync settings

Help




## 5. Common information fields, controls and alerts

In this section are described all common information fields, controls and alerts used in almost all app views.

# 5.1 Common information fields, controls (Reminders and Series of Reminders)

Done

Terminate view without saving changes. When changes were made user will be prompted for decision what to do, by showing following alert:



User will have three possibilities:

- 1) Save changes, and exit, by choosing "Yes".
- 2) Discard changes and exit, by selecting "No".
- 3) Continue editing, by selecting "Cancel".

## Swipe to the right.

Same as tapping "Done" button.

Save

Terminate view and save changes.



10 minutes

For every reminder you can select time when local notification will be sent to you. You may select time from 0 minutes to 4 weeks. Just tap on field – and picker with all possible choices will popup:

Save

00

5 minutes




**10 minutes**

15 minutes

20 minutes

25 minutes

# Description



Description of reminded event.

To enter description, just tap on the field, keyboard will pop-up, and you will have possibility to tape your text.

## Time

08:30 AM

Time of reminded event.

Carrier 6:19 PM 100%

Done **New Series** Save

Description 5 minutes

New remisser

Time **8 30 AM** - + Start 2015-10-28 - +

Every 11 - + End X - +

Times 1 per day - +

Every 0:00 hour(s) - +

Once **Days** Weeks Months Years

To enter time, just tap on the field, time-picker will pop-up, and you will have possibility to select time.

## Time stepper:



To make adjustments and corrections of time you may use stepper:

Tapping on (-) decreases time by one minute.

Tapping on (+) increases time by one minute.

Keeping stepper pressed cause continuous value changes.

## Date, Start date

Date 2015-10-05

Start 2015-10-05


Date for reminder or start date for series of reminders – date when series of reminders starts.

To enter date, just tap on the field, date-picker will pop-up, and you will have possibility to select date.

The screenshot shows an iPhone interface for creating a new series of reminders. At the top, the status bar displays 'Carrier', signal strength, '6:21 PM', and '100%' battery. The app header is 'New Series' with 'Done' on the left and 'Save' on the right. The main form has a 'Description' field containing 'New remisser' and a '5 minutes' duration field. A date picker is overlaid on the bottom left, showing a list of months from July to January with corresponding days and years. The 'Date' label is positioned to the left of the date picker. At the bottom, there is a navigation bar with five options: 'Once', 'Days', 'Weeks', 'Months', and 'Years'. The 'Once' option is currently selected.

Time	Day	Year
July	2	2012
August	3	2013
September	4	2014
October	5	2015
November	6	2016
December	7	2017
January	8	2018

Once	Days	Weeks	Months	Years
------	------	-------	--------	-------



### Date, Start date stepper




To make adjustments and corrections of start date you may use stepper:

Tapping on (-) decreases date one day.

Tapping on (+) increases date one day.

Keeping stepper pressed cause continuous value changes.

# End date



End date for series of reminders – date when series of reminders ends.

To enter date, just tap on the field, date-picker will pop-up, and you will have possibility to select date

## End date stepper:



To make adjustments and corrections of date you may use stepper:

Tapping on (-) decreases date one day.

Tapping on (+) increases date one day.


Keeping stepper pressed cause continuous value changes.

## End date "clear" button




Taping on this button causes removing of end date.

# 5.2 Common alerts (Reminders and Series of Reminders)




Alert is shown when you are trying to enter 'End date' which is earlier than current date and time.



'End date' and 'Time' cannot be earlier than 'Now!'

OK

Alert is shown when you are trying to enter 'End date' which is earlier than current date and time.




'Reminder date' and 'Time'  
cannot be earlier than 'Now!'

OK

Time 04:40 [ - ] [ + ]  
Date 2015-10-28 [ - ] [ + ]

Once Days Weeks Months Years

Alert is shown when you are trying to enter 'Reminder date' which is earlier than current date and time.




Data has changed. Do You want to save it?

Yes


No

Cancel

Terminate view without saving changes. When changes were made user will be prompted for decision what to do, by following this alert:



Alert is shown when you are trying to save reminder or series of reminders without description.



Alert is shown when during editing of reminder start date is changed – moved forward, for example when you are moving start time before current time.

## 6. Main view

It is view you will see when you start the app. View contains list of reminders and controls which allow you access to all app functions and options. Reminders are sorted by date and time – oldest first.

Dependent on how app was terminated when last time it was used, you will see one of the following:

First time start or after termination in Main view when selected reminder fit on the "first page" of reminders in Main view.

Reminders, which were overdue for more than 20 minutes ago, are shown in **red color**.

Reminders, which are overdue for less than 20 minutes are shown in **yellow color**.

Reminders, which will be overdue in 20 minutes or less, are shown in **green color**.

All other reminders have **blue color**.

New

Reminders

Details

**2015-09-30 Wednesday**

14:00 Fitness

15:00 Do backup

15:05 Cal Ewa

20:00 Take medicin

**2015-10-01 Thursday**

19:00 Fitness

**2015-10-02 Friday**

20:00 Meet Albert

**2015-10-04 Sunday**

08:00 Take out garbage container

18:00 Do backup

**2015-10-05 Monday**

11:00 Weekly unit meeting

17:25 Call Henrik

**2015-10-06 Tuesday**

08:30 New reminder

**2015-10-07 Wednesday**

17:00 Call Bob

**2015-10-09 Friday**

10:30 Visit dentist

**2015-10-17 Saturday**

08:00 Wedding anniversary

**2015-10-29 Thursday**

18:30 Go out with Molly

**2015-10-31 Saturday**

08:20 Pay Visa invoice

**2015-11-23 Monday**

08:10 Grandma's birthday

History



Show all



New

Reminders

Details

Q Enter search text

**2015-09-30 Wednesday**

10:00 Take medicin

14:00 Fittnes

15:00 Do backup

15:05 Cal Ewa

**2015-10-01 Thursday**

19:00 Fittnes

**2015-10-02 Friday**

20:00 Meet Albert

**2015-10-04 Sunday**

08:00 Take out garbage cor

18:00 Do backup

**2015-10-05 Monday**

11:00 Weekly unit meeting

17:25 Call Henrik

**2015-10-06 Tuesday**

08:30 New reminder

**2015-10-07 Wednesday**

17:00 Call Bob

**2015-10-09 Friday**

10:30 Visit dentist

**2015-10-17 Saturday**

08:00 Wedding anniversary

**2015-10-29 Thursday**

18:30 Go out with Molly

**2015-10-31 Saturday**

08:20 Pay Visa invoce

**2015-11-23 Monday**

08:10 Grandma's birthday

Previous app state was saved  
and might be restored,

4 overdue reminder(s) found

[Restore app state](#)

[Go to reminders](#)

History



Show all



Start after termination when app was not in Main view or when latest selected reminder was long time in the future (did not fit on the "first page" of reminders in Main view).

Restore app state

When you select "Restore app state" you will be redirected to exactly same view as it was when you were using app last time, all not saved data will be re-entered for you.

Go to reminders

When you choose "Go to reminders" you will be directed to the beginning of reminders list and previously saved app state will be lost.

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

🔍 Enter search text

Search bar – used for searching "filtering" of reminders. When activated Main view will show only reminders containing text entered in search bar.

Main view will change to:

New

# Reminders

Details



K



Cancel

## 2015-09-30 Wednesday

10:00 Take medicin

15:00 Do backup

## 2015-10-04 Sunday


08:00 Take out garbage container

18:00 Do backup

## 2015-10-05 Monday

11:00 Weekly unit meeting


17:25 Call Henrik



Here:



Keyboard



Search button – hides keyboard. Main view will show only items, which satisfies search condition, search text stays in search bar:

New

Reminders

Details

🔍 K



2015-09-30 Wednesday

10:00 Take medicin

15:00 Do backup

2015-10-04 Sunday

08:00 Take out garbage container

18:00 Do backup

2015-10-05 Monday

11:00 Weekly unit meeting

17:25 Call Henrik



Q K



Activated search bar, here:

“K” Searched text.



Button which clears search text.

Cancel

Cancel button – terminates searching, search text is cleared, keyboard is hided.

New

Starts [Series of reminders view](#) – view used for creation of new reminders.

Details

Opens [Details view](#) for reminder.

History

Activates [History view](#) – list of completed reminders.



“Go to next overdue reminder” buttons – the next “overdue” reminder is selected. By tapping this button couple of times you will see all “overdue” reminders.



When there is no “overdue” reminders the button is disabled

Show overview

or

Show all

Buttons do switching view between showing all reminders and showing overview of reminders.

Tapping on "Show overview" will switch to "Show overview" mode, button text will change to "Show all".

Tapping on "Show all" will switch to "Show all" mode, button text will change to "Show overview".

In "Show all" mode all reminders from series are shown:

Carrier	3:12 PM	100%
New	Reminders	Details
<input type="text" value="Enter search text"/> <span data-bbox="929 152 998 168">Cancel</span>		
<b>2015-09-30 Wednesday</b>		
14:00	Fittnes	
15:00	Take medicin	
15:00	Do backup	
15:05	Cal Ewa	
20:00	Take medicin	
<b>2015-10-01 Thursday</b>		
00:00	Take medicin	
05:00	Take medicin	
10:00	Take medicin	
15:00	Take medicin	
19:00	Fittnes	
20:00	Take medicin	
<b>2015-10-02 Friday</b>		
00:00	Take medicin	
05:00	Take medicin	
10:00	Take medicin	
15:00	Take medicin	
20:00	Meet Albert	
20:00	Take medicin	
<b>2015-10-03 Saturday</b>		
00:00	Take medicin	
05:00	Take medicin	
10:00	Take medicin	
15:00	Take medicin	
20:00	Take medicin	
<b>2015-10-04 Sunday</b>		
00:00	Take medicin	
05:00	Take medicin	
History		Show overview
		

In "Overview mode" only one reminder per series ("oldest") is shown:

Carrier	3:13 PM	100%
New	Reminders	Details
<input type="text" value="Enter search text"/> <span>Cancel</span>		
<b>2015-09-30 Wednesday</b>		
14:00	Fittnes	
15:00	Take medicin	
15:00	Do backup	
15:05	Cal Ewa	
<b>2015-10-01 Thursday</b>		
19:00	Fittnes	
<b>2015-10-02 Friday</b>		
20:00	Meet Albert	
<b>2015-10-04 Sunday</b>		
08:00	Take out garbage container	
18:00	Do backup	
<b>2015-10-05 Monday</b>		
11:00	Weekly unit meeting	
17:25	Call Henrik	
<b>2015-10-06 Tuesday</b>		
08:30	New reminder	
<b>2015-10-07 Wednesday</b>		
17:00	Call Bob	
<b>2015-10-09 Friday</b>		
10:30	Visit dentist	
<b>2015-10-17 Saturday</b>		
08:00	Wedding anniversary	
<b>2015-10-29 Thursday</b>		
18:30	Go out with Molly	
<b>2015-10-31 Saturday</b>		
08:20	Pay Visa invoice	
<b>2015-11-23 Monday</b>		
08:10	Grandma's birthday	
History		Show all 



Activates [Settings view](#) – view used to change app parameters and options.

### **Double tap on reminder**

Same as following actions:

- 1) Mark reminder.
- 2) Tap “Details” button.

### **Swipe reminder to the right**

Same as following actions:


- 1) Mark reminder.
- 2) Tap details button.
- 3) Change status of reminder to “Completed”.
- 4) Save changes by tapping “Save” button.

### **Swipe reminder to the left**

Same as following actions:

- 1) Mark reminder.
- 2) Tap details button.
- 3) Tap “Edit reminder” or “Single reminder” dependent on reminder is one time reminder or part of series.
- 4) Tap “Delete” button.

When you try to delete by swiping to the left, the confirmation alert view is shown:



- 1) To delete reminder answer "Yes".
- 2) To keep reminder answer "No".

[\[Back to top\]](#)

## 7. Reminders and Series of Reminders

Reminder is message that reminds you to do something ([Reminder - according to Cambridge Dictionaries Online](#)). Reminders can be “single” or “multiple”. Single reminder reminds you about something what is going to happen one time – for example about visiting the dentist on 10-th November. Multiple or requiring reminders remind you about something what is going to happen regularly, like every year, every month, every 4.th hour.

In RemindIt app multiple reminders are described with help of [Series of reminders](#).

Reminders created with help of Series of reminders have exactly same properties as “single reminders” - might be edited, excluded from series or deleted without affecting of others reminders in series.

## 8. Reminder details view


Reminder details view shows details about reminder and allows:

- 1) Adjust time when local notification about reminder will be sent, here you can select time from 0 minutes to 4 weeks.
- 2) Access single reminder of series.
- 3) Initialize editing of one time reminder.
- 4) Change status of reminder to “Completed”.
- 5) Add comment to completed reminders.

The screenshot shows the 'Details' view of a reminder in the iOS Reminder app. The status bar at the top indicates 'Carrier', signal strength, Wi-Fi, 4:58 AM, and 100% battery. The navigation bar contains 'Done', 'Details', and 'Save'. The main content area is divided into sections: 'Date/Time' (2015-09-30 15:00) with a '5 minutes' notification duration icon; 'Description' (Take medicin); 'Status' (Pending/Completed toggle, with 'Pending' selected); and 'Comment for 'Completed'' (empty text area). At the bottom, there is a 'Single reminder' / 'Series' toggle, currently set to 'Single reminder'.

Carrier	4:58 AM	100%
Done	Details	Save
Date/Time	2015-09-30 15:00	5 minutes
Description	Take medicin	
Status	Pending   Completed	
Comment for 'Completed'		
Single reminder	Series	

or



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:



OR



Use this control to change status of reminder.

When status of reminder is changed to “Completed” it will be possible to add comment to

reminder.

Carrier 5:01 AM 100%

Done Details Save

Status Pending Completed

Comment for 'Completed'

Done

“Done” Donee Donegal

Q W E R T Y U I O P

A S D F G H J K L return

↑ Z X C V B N M ! , ? . ↑

.?123 [Globe] [Search] .?123 [Keyboard]

## Single reminder

Use this control to initialize editing of reminders, which are part of series.

The screenshot shows the 'Reminder' editing screen in an iOS app. At the top, there's a status bar with 'Carrier', signal strength, '6:13 PM', and '100%' battery. Below that, a navigation bar contains 'Done' on the left, 'Reminder' in the center, and 'Delete' and 'Save' on the right. The main area is titled 'Description' and contains the text 'Weekly unit meeting'. To the right of the description is a share icon and a '10 minutes' duration field. Below the description, there are three sections: 'Time' with a text field '11:00' and minus/plus buttons; 'Date' with a text field '2015-10-05' and minus/plus buttons; and 'Exclude from series' with 'Yes' and 'No' radio buttons. At the bottom, there's a horizontal menu with five options: 'Once' (selected), 'Days', 'Weeks', 'Months', and 'Years'.

The [Series of reminders view](#) with reminder data will be opened.

You will have possibility to:

- 1) Delete reminder.
- 2) Exclude reminder from series.
- 3) Select time when local notification will be sent.

Edit reminder

Use this control to start editing of one time reminders

Carrier 7:17 PM 100%

Done Reminder Delete Save

Description 0 minutes

Call Henrik

Time 17:25 - +

Date 2015-10-05 - +

Once Days Weeks Months Years

The [Series of reminders view](#) with reminder data will be opened.

Here you can change all reminder data, such as:

- 1) Description.
- 2) Time when local notification will be sent.
- 3) Time of reminder.
- 4) Date of reminder.

## Series

Use this control to start editing of series of reminders.

Carrier 7:20 PM 100%

Done Edit Series Delete Save

Description 10 minutes

Weekly unit meeting

Time 11:00 - + Start 2015-09-30 - +

Every 1 week - + End X - +

Day M T W T F S S

Once Days Weeks Months Years

For details please follow link: [Series of reminders view](#)

[\[Back to top\]](#)

## 9. Series of reminders view

View contains five sub-views used for different types of reminders:

- 1) [Once](#): one-time events –reminder about something what need to be done on a defined date and time.
- 2) [Days](#): daily events, one or couple of times per day – requiring events with repetition pattern based on days.
- 3) [Weeks](#): weekly events – requiring events with repetition pattern based on weeks.
- 4) [Months](#): monthly events – requiring events with repetition pattern based on months.
- 5) [Years](#): yearly events – requiring events with repetition pattern based on years.

## 9.1 Once

This sub-view is used for creation of one-time events –reminder about something what need to be done on a defined date and time.

The screenshot shows a mobile application interface for creating a reminder. At the top, there is a status bar with 'Carrier', signal strength, '9:07 PM', and '100%' battery. Below this is a header with 'Done' on the left, 'New Series' in the center, and 'Save' on the right. The main area is titled 'Description' and contains a text input field with the text 'New reminder'. To the right of the input field is a bell icon and a '5 minutes' label. Below the description field are two rows of controls: 'Time' with a text input '21:10' and minus/plus buttons, and 'Date' with a text input '2015-10-28' and minus/plus buttons. At the bottom, there is a horizontal bar with five frequency options: 'Once' (selected), 'Days', 'Weeks', 'Months', and 'Years'.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Reminder date – the day when reminded event is going to happen.

Controls in this view are described in [Common information fields, controls \(Reminders and Series of Reminders\)](#)

[\[Back to top\]](#)

## 9.2 Days

This sub-view is used for creation of reminders about events which are going to happen daily, every day, every second day, every third day, ..., one or couple of times per day – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on days, like every day, every second day...
- 5) Repetition pattern based on hours:
  - a. How many times per day.
  - b. How many hours between events.
- 6) Start date.
- 7) End date.

Carrier 9:09 PM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time 08:00 [−] [+] Start 2015-10-29 [−] [+]

Every 1 day [−] [+] End X [−] [+]

Times 4 per day [−] [+]

Every 3:00 hour(s) [−] [+]

Once **Days** Weeks Months Years

Controls in this view – common controls described in [Common information fields](#).

[controls \(Reminders and Series of Reminders\)](#) and additionally:

Every <n> day:

Every  day

Carrier 9:11 PM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time    Start

Every  day   End

Times  per day

Every  hour(s)

Once **Days** Weeks Months Years

To select repetition pattern based on days just tap on the field, picker will pop-up and you will have possibility to choose right number.

Every <n> day stepper:

To make adjustments and corrections of repetition pattern you may use stepper:

Tapping on (-) decreases number by one day.

Tapping on (+) increases number by one day.

Keeping stepper pressed cause continuous value changes.

Times per day:

Times  per day

Carrier 9:12 PM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time  - + Start  - +

Every  day - +


Times  per day - +

Every  hour(s) - +

Once **Days** Weeks Months Years

To select how many times per day, the reminder event should be populated just tap on field and by using of picker select required frequency.

Times per day stepper:



To make adjustments and corrections of "Times per day" you may use stepper:

Tapping on (-) decreases number by one.

Tapping on (+) increases number by one.

Keeping stepper pressed cause continuous value changes.

Every <n> hours:

Every  hour(s)

Carrier 9:14 PM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time  - + Start  - +

Every  day - + End  - +

Times  per day - +

Every  hour(s) - +

Once **Days** Weeks Months Years

To select time between daily repetitions of reminders, just tap on field and by using of picker select required value.

Every <n> hours stepper:

To make adjustments and corrections of time between daily repetitions of reminders you may use stepper:

- Tapping on (-) selects previous value.
- Tapping on (+) selects next value.

Keeping stepper pressed cause continuous value changes.

[\[Back to top\]](#)

## 9.3 Weeks

This sub-view is used for creation of reminders about events which are going to happen weekly, every week, every second week, every third week,..., on certain days of week – requiring events with repetition pattern based on weeks.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on weeks, like every week, every second week...
- 5) Week days when event is going to happen.
- 6) Start date.
- 7) End date.

Carrier 9:18 PM 100%

Done **New Series** Save

Description  5 minutes

New reminder

Time 08:00   Start 2015-10-29   Every 3 week   End X   M T W T F S S Day

Once Days **Weeks** Months Years

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Every <n> week:

Every  week

Carrier 9:29 PM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time  - +

Every **3** week - +

Start  - +


End  - +

Day

Once Days **Weeks** Months Years

To select repetition pattern based on weeks just tap on the field, picker will pop-up and you will have possibility to choose right number.

Every <n> week stepper:



To make adjustments and corrections of repetition pattern you may use stepper:

Tapping on (-) decreases number by one.

Tapping on (+) increases number by one.

Keeping stepper pressed cause continuous value changes.

Week days:

	M	T	W	T	F	S	S
Day	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

To select week days for event just tap on squares corresponding to required week days. When selected day is marked with "X". To deselect tap square again.

## 9.4 Months

This sub-view is used for creation of reminders about events which are going to happen monthly, every second, third... month – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on months, like every month, every second month...
- 5) Type of repetition (on defined day, every 1<sup>st</sup>, every 2<sup>nd</sup>, every 3<sup>rd</sup>, every 4<sup>th</sup>, last, every).
- 6) Type of day when repetition should happen (day number for "day", week day or group of week days for every 1<sup>st</sup>, every 2<sup>nd</sup>, every 3<sup>rd</sup>, every 4<sup>th</sup>, last, every).

By combination of (5) and (6) you can create repetitions, such as:

- 13<sup>th</sup> day every month.
- Every 2<sup>nd</sup> Friday of the month.
- Every Monday.

- 7) Start date.
- 8) End date.

Carrier 9:30 PM 100%

Done **New Series** Save

Description  5 minutes

New reminder

Time 08:00   Start 2015-10-29

Every 3 month   End


The day 28

Once Days Weeks **Months** Years

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:


Every <n> month:

Every 3 month



To select repetition pattern based on months just tap on the field, picker will pop-up and you will have possibility to choose right number.

Every <n> month stepper:



To make adjustments and corrections of repetition pattern you may use stepper:

- Tapping on (-) decreases number by one.
- Tapping on (+) increases number by one.

Keeping stepper pressed cause continuous value changes.

Type of repetition:

The

Carrier 9:33 PM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time

Start

Every  mon

The

End

Once Days Weeks **Months** Years

To select type of repetition just tap on the field, picker will pop-up and you will have possibility to choose right type of repetition..

Carrier 9:34 PM 100%

Done **New Series** Save

Description  5 minutes

New reminder

Time 08:00 - + Start 2015-11-19 - +

Every 3 month + End X - +

The day 19

16  
17  
18  
19  
20  
21  
22

Once Days Weeks Months Years

When "day" was selected in first step you will select day number by tapping on next field, picker with possible values will pop-up.

Carrier 9:35 PM 100%

Done **New Series** Save

Description  5 minutes

New reminder

---

Time    Start    End    Every  mon The

Once Days Weeks **Months** Years

When "every 1<sup>st</sup>", "every 2<sup>nd</sup>", "every 3<sup>rd</sup>", every "4<sup>th</sup>", "last", "every" was selected in first step you have to select type of day by taping on next field. Picker with possible values will pop-up.

## 9.5 Years

This sub-view is used for creation of reminders about events which are going to every year – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Months of year.
- 5) Type of repetition (day, every 1<sup>st</sup>, every 2<sup>nd</sup>, every 3<sup>rd</sup>, every 4<sup>th</sup>, last, every).
- 6) Type of day when repetition should happen (day number for "day", type of week day for every 1<sup>st</sup>, every 2<sup>nd</sup>, every 3<sup>rd</sup>, every 4<sup>th</sup>, last, every).

By combination of (5) and (6) you can create repetitions, such as:

- 13<sup>th</sup> day in August.
- Every 2<sup>nd</sup> Friday in August.
- Every Monday in August.

- 7) Start date.
- 8) End date.

Carrier 9:37 PM 100%

Done **New Series** Save

Description  5 minutes

New reminder

Time 08:00   Start 2015-11-19   Every October   End X    The day 28

Once Days Weeks Months **Years**

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Month:

Every

Carrier 9:37 PM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time

Every

Start 2015-11-19

End

The

Once Days Weeks Months **Years**

To select month just tap on the field, picker will pop-up and you will have possibility to choose right value.

Month stepper:

To make adjustments and corrections of selected month:

Tapping on (-) selects previous month.

Tapping on (+) selects next month.

Keeping stepper pressed cause continuous value changes.

Type of repetition:

The

Carrier 9:38 PM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time  - + Start  - +

Every  - + End   - +

The

Once Days Weeks Months **Years**

To select type of repetition just tap on the field, picker will pop-up and you will have possibility to choose right value.

Carrier 3:56 AM 100%

Done **New Series** Save

Description  5 minutes

New reminder

Time 08:00 - + Start 2018-10-12 - +

Every October + End X - +

The day 25 - +

22  
23  
24  
25  
26  
27  
28

Once Days Weeks Months **Years**

When "day" was selected in first step you will select day number by tapping on next field, picker with possible values will pop-up.

Carrier 3:58 AM 100%

Done **New Series** Save

Description  5 minutes

New reminder

Time 08:00   Start 2019-10-03   End X   Every October    The 1st   

Monday  
 Tuesday  
**Wednesday**  
**Thursday**  
 Friday  
 Saturday  
 Sunday

Once Days Weeks Months **Years**

When "1<sup>st</sup>", "2<sup>nd</sup>", "3<sup>rd</sup>", "4<sup>th</sup>", "last", "every" was selected in first step you have to select type of day by tapping on next field. Picker with possible values will pop-up.

# 10. History view

View contains list of completed reminders sorted by date – latest first.

Carrier	6:18 PM	100%
Done	Reminders history	Details
🔍 Enter search text		
<b>2015-10-04 Sunday</b>		
05:00	Take medicin	
00:00	Take medicin	
<b>2015-10-03 Saturday</b>		
20:00	Take medicin	
15:00	Take medicin	
10:00	Take medicin	
05:00	Take medicin	
00:00	Take medicin	
<b>2015-10-02 Friday</b>		
20:00	Meet Albert	
20:00	Take medicin	
15:00	Take medicin	
10:00	Take medicin	
05:00	Take medicin	
00:00	Take medicin	
<b>2015-10-01 Thursday</b>		
20:00	Take medicin	
19:00	Fittnes	
15:00	Take medicin	
10:00	Take medicin	
05:00	Take medicin	
00:00	Take medicin	
<b>2015-09-30 Wednesday</b>		
20:00	Take medicin	
15:05	Cal Ewa	
15:00	Take medicin	
15:00	Do backup	
14:00	Fittnes	
10:00	Take medicin	
08:00	Take out garbage container	

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

## Details

Terminate view, go back to [Main view](#).

### **Double tap on reminder**

Same as following actions:


- a. Mark reminder.
- b. Tap "Details" button.

### **Swipe reminder to the right**

Same as actions:

- a. Mark reminder.
- b. Tap details button.
- c. Tap "Restore" button.

# 11. History details view



History details view contains detailed information about completed reminder:  
More exactly here you will see:

- 1) Date/Time of reminder.
- 2) Time when local notification will be sent.
- 3) Description.
- 4) Date and time when reminder has changed status to "Completed".
- 5) Comment.

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

**Restore**

This button moves reminder from history back to ordinary reminders. Comment and date/time for completion of reminder will be lost.

Series

or

Series

Tapping of this button (when it is enabled) will redirect you to [Series of reminders view](#), view data will be taken from historical reminder. This can be used for reviewing of series for reminders or for re-activation of already completed series of reminders. Button is enabled only for historical reminders related to series of reminders

## Editing of comment


The screenshot shows an iPhone interface for editing a comment. At the top, the status bar displays 'Carrier', signal strength, '4:03 AM', and '100%' battery. Below the status bar, the title bar reads 'Done' on the left, 'Details' in the center, and 'Save' on the right. The main content area has a light blue background. On the left, there are labels: 'Date/Time' next to a text field containing '2015-10-29 04:00:12', and 'Comment for 'Completed'' next to a larger text area containing 'Status changed by swipe gesture'. Below the text area, a keyboard is visible with predictive text suggestions: '"gesture"', 'gestures', and 'gesturing'. The keyboard includes standard QWERTY keys, a return key, and a globe icon for language switching.

To change comment just tap on comment field and do all necessary changes. Later on you have to save changes by tapping on "Save" button.

[\[Back to top\]](#)

## 12. Settings view

This view allows you to configure some system parameters and settings. From this view you have also access to [Log view](#), [Sync settings View](#), [Statistics view](#) and [Help view](#)



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Log

Terminate view and save changes. Go to [Log view](#).

Sync settings

Terminate view and save changes. Go to [Sync settings View](#).



Terminate view and save changes. Go to [Statistics view](#)

Help

Terminate view and save changes. Go to [Help view](#).

Time format

HH:MM:SS

Determines time format in all views.


The screenshot shows the settings interface for RemindIt!. At the top, there is a status bar with 'Carrier', signal strength, '4:07 AM', and '100%' battery. Below the status bar, the screen is titled 'Settings' with 'Done' on the left and 'Log' on the right. The 'Time format' setting is selected, and a dropdown menu is open, showing three options: 'HH:MM:SS' (which is highlighted), 'HH:MM:SS AM/PM', and 'yyyy-mm-dd'. Below the dropdown, the 'Date format' setting is visible. Further down, there are settings for 'Show future reminders for following number of days' (set to 31), 'Sounds' (set to 'Click: Off, Alert: On'), 'Max number of historical reminders' (set to 10000), and 'Max number of log entries' (set to 10000). At the bottom of the settings list, there are four buttons: 'iCloud get', 'iCloud put', 'Sync settings', and 'Help'. At the very bottom of the screen, there is a footer with the text 'RemindIt!, 2.0, build 6898, 2015-10-28' and 'Copyright (c) 2011-2015 JZ IT-Konsult AB', along with an information icon on the right.



## Date format

yyyy-mm-dd

Determines date format in all views.



Show future reminders for following number of days

31

–

+

Determines how many requiring reminders from series will be shown in [Main view](#). For example when this parameter is 31, Main view will contain 31 reminders of type “every day”.

Parameter affects only requiring reminders. Every series of reminders will have at least one “representative” in Main view.

When “End date” does not expire and some reminders from series are moved to history or deleted, the new “next in series” reminders will be populated.

Sounds

Click: On, Alert: On

Determines system sounds, there are two types of sounds, which can be configured:

- Click – confirmation sound for opening the view, changing orientation, etc.
- Alert – ring tone for local notification


You may select all combinations of system sounds by selecting them with picker

Max number of historical reminders

10000

–

+



Determines maximum number of entries in reminders history. When number of historical reminders excides this number the oldest reminders will be deleted.



Determines maximum number of entries in system log. When number of log entries excides this number the oldest log entries will be deleted.




Fore copying app data from iCloud (overrides standard strategy based on modification date/time and size of data.

iCloud put

Force copying app data to iCloud (overrides standard strategy based on modification date/time and size of data).

## 13. Sync settings view

This view is used to configure what data should be synchronized with iCloud. View looks like this:



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Use iCloud



Determines if app will use iCloud for storing and synchronization of data and settings.

Sync app settings



Determines if app settings will be synchronized with iCloud and restored on all your iOS devices with same iCloud account

Blue sync iCloud app data



Determines if app data will be synchronized with iCloud and restored on all your iOS devices with same iCloud account.

Get iCloud app settings

Force copying app settings from iCloud.

Put iCloud app settings

Force copying app settings to iCloud.

Remove iCloud app settings

Remove app settings from iCloud.

Get iCloud app data

Force copying app data from iCloud (overrides standard strategy based on data modification date/time and size).

Put iCloud app data

Force copying app data to iCloud (overrides standard strategy based on data modification date/time and size).

Remove iCloud app data

Remove app data from iCloud.

[\[Back to top\]](#)

## 14. Statistics view

This view shows statistics about usage of app and other related information:

Information which is shown:

- 1) Version, build number, build date.
- 2) Resolution of device screen.
- 3) Battery level.
- 4) Memory usage statistics.
- 5) App usage statistics.
- 6) Information about Reminder database.
- 7) Information about Log database.
- 8) List of files in app document directory.
- 9) App files sizes.
- 10) Modification date time for local and iCloud databases.

Done

Statistics

Reset

RemindIt, 2.0, build 6898, 2015-10-28

iPhone OS 9.0, iPad,  
Resolution: 1536 x 2048,  
Battery level: -100.0%

Memory in use (Mbytes): 76.2  
Max memory used (Mbytes): 151.8  
Average memory used (Mbytes): 125.4

Time max used: 2015-10-28 04:47:55  
Number of memory checks: 479

First app use: 2015-10-25 13:31:59  
Number of app uses: 7  
Total time app used: 7:59:23  
Average time app used: 0:68:29

Number of reminders: 0  
Number of historical reminders: 0  
Number of series of reminders: 0

Number of log entries: 613

List of files in document directory:  
RemindIt.Version.2.0 : 0  
RemindIt.status : 660  
RemindIt.statistics : 598  
RemindIt.setup : 692  
RemindIt.log.db : 126976  
RemindIt.data.db : 167936

-----  
Total bytes: 296862  
Total Mbytes: 0.3

Local DB date/time: 2015-10-28 21:03:59  
iCloud DB date/time: 2015-10-29 03:25:11

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Reset

Reset statistics - clears accumulated statistics and sets to zero system-counters.

The screenshot shows the 'Statistics' screen of an iPhone. The status bar at the top indicates 'Carrier', signal strength, '4:17 AM', and '100%' battery. The screen title is 'Statistics'. The background text displays various system statistics, including memory usage, time used, app usage, reminders, and log entries. A modal dialog box titled 'Resetting of Statistics' is overlaid in the center, asking 'Do You really want to reset statistics?' with 'No' and 'Yes' buttons.

Carrier 4:17 AM 100%

Done Statistics Reset

iPhone OS 9.0, iPad,  
Resolution: 1536 x 2048,  
Battery level: -100.0%

Memory in use (Mbytes): 76.2  
Max memory used (Mbytes): 151.8  
Average memory used (Mbytes): 125.4

Time max used: 2015-10-28 04:47:55  
Number of memory checks: 479

First app use: 2015-10-25 13:31:59  
Number of app uses:  
Total time app used: 7:59:2  
Average time app used: 0:68:2

Number of reminders:  
Number of historical reminders:  
Number of series of reminders:

Number of log entries: 613

List of files in document directory:  
RemindIt.Version.2.0 : 0  
RemindIt.status : 660  
RemindIt.statistics : 598  
RemindIt.setup : 692  
RemindIt.log.db : 126976  
RemindIt.data.db : 167936  
-----  
Total bytes: 296862  
Total Mbytes: 0.3

Local DB date/time: 2015-10-28 21:03:59  
iCloud DB date/time: 2015-10-29 03:25:11

**Resetting of Statistics**  
Do You really want to reset statistics?

No Yes

To reset statistics you must answer “Yes” on alert question.

[\[Back to top\]](#)

# 15. Log view

Log view contains list of all system events. Every event might be investigated by activating [Log details view](#).

Carrier	5:52 AM	100%
Done	Log	Details
Q Enter search text		
2015-10-29 05:51:32	INFO: removeObserver: NSMetadataQueryDidFinishGatheringNotification	
2015-10-29 05:51:32	INFO: addObserver: NSMetadataQueryDidFinishGatheringNotification	
2015-10-29 05:51:31	INFO: removeObserver: NSMetadataQueryDidUpdateNotification	
2015-10-29 05:51:31	INFO: starting Settings View	
2015-10-29 05:51:24	INFO: DB file timestamp restored to: 2015-10-29 03:25:11	
2015-10-29 05:51:24	INFO: openRemindItDB: OK, database opened:	
2015-10-29 05:51:24	INFO: opening RemindIt.data.db:	
2015-10-29 05:51:24	ICLOUD: iCloud file do not copied - local file is newer or same, local date/time: 20...	
2015-10-29 05:51:24	INFO: closeRemindItDB: OK, database closed:	
2015-10-29 05:51:24	ICLOUD: Found DB-iCloud file. File date: 2015-10-29 03:25, file size:167936	
2015-10-29 05:51:24	ICLOUD: Found 3 iCloud files:	
2015-10-29 05:51:24	INFO: addObserver: NSMetadataQueryDidUpdateNotification	
2015-10-29 05:51:24	INFO: removeObserver: NSMetadataQueryDidFinishGatheringNotification	
2015-10-29 05:51:24	INFO: addObserver: NSMetadataQueryDidFinishGatheringNotification	
2015-10-29 05:51:24	INFO: addObserver: NSUbiquitousKeyValueStoreDidChangeExternallyNotification	
2015-10-29 05:51:24	ICLOUD: restored data::	
2015-10-29 05:51:24	INFO: app become active: RemindItView	
2015-10-29 05:51:24	NOTIF: Clearing notifications - ready	
2015-10-29 05:51:24	NOTIF: Clearing notifications - start	
2015-10-29 05:51:24	INFO: Starting program	
2015-10-29 05:51:24	ERROR: program did not terminated properly, resetting status information.	
2015-10-29 05:51:24	START: didFinishLaunchingWithOptions, applicationIconBadgeNumber: 1	
2015-10-29 05:51:24	INFO: openLogDB: OK, database opened:	
2015-10-29 05:50:52	INFO: starting Log View	
2015-10-29 05:50:48	ICLOUD: Found DB-iCloud file. File date: 2015-10-29 03:25, file size:167936	
2015-10-29 05:50:48	ICLOUD: Found 3 iCloud files:	
2015-10-29 05:50:48	INFO: addObserver: NSMetadataQueryDidUpdateNotification	
2015-10-29 05:50:48	INFO: removeObserver: NSMetadataQueryDidFinishGatheringNotification	
2015-10-29 05:50:48	INFO: addObserver: NSMetadataQueryDidFinishGatheringNotification	
2015-10-29 05:50:47	INFO: removeObserver: NSMetadataQueryDidUpdateNotification	
2015-10-29 05:50:47	INFO: starting Settings View	
2015-10-29 05:50:45	INFO: DB file timestamp restored to: 2015-10-29 03:25:11	
2015-10-29 05:50:45	INFO: openRemindItDB: OK, database opened:	
2015-10-29 05:50:45	INFO: opening RemindIt.data.db:	
2015-10-29 05:50:45	ICLOUD: iCloud file do not copied - local file is newer or same, local date/time: 20...	
2015-10-29 05:50:45	INFO: closeRemindItDB: OK, database closed:	
2015-10-29 05:50:45	ICLOUD: Found DB-iCloud file. File date: 2015-10-29 03:25, file size:167936	
2015-10-29 05:50:45	ICLOUD: Found 3 iCloud files:	
2015-10-29 05:50:45	INFO: addObserver: NSMetadataQueryDidUpdateNotification	

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

## Details

Open [Log details view](#).

### **Double tap on log event**

Same as following actions:

- a. Mark reminder.
- b. Tap “Details” button.

### **Shake phone**

Refresh log events.

# 16. Log details view

View shows detailed information about log entry.

The screenshot shows the 'Log details' view on an iPhone. At the top, the status bar displays 'Carrier', signal strength, '5:56 AM', and '100%' battery. Below the status bar is a navigation bar with 'Done' on the left and 'Log details' on the right. The main content area has a light blue header with 'Date/time' and a text field containing '2015-10-23 06:27:50'. Below this is a 'Description' section containing the following text:

```
INFO: Starting program

RemindIt, 2.0, build 6776, 2015-10-22
iPhone OS 8.4, iPhone Simulator,
Resolution: 1242 x 2208,
Battery level: -100.0%

List of files in document directory:
RemindIt.Version.2.0      :      0
RemindIt.status           :     794
RemindIt.statistics       :     618
RemindIt.setup            :     730
RemindIt.log.db           :  577536
RemindIt.data.db          :  32768
-----
Total bytes                612446
```

Done

Log details

Date/time 2015-10-27 18:55:05

## Description

NOTIF: scheduled 64 notification(s) of 347:

First: 2015-10-27 19:55[173], icon badge number: 174

Last: 2015-11-06 19:55[236], icon badge number: 237

Number of scheduled local notifications: 64

BadgeNumber: 174	2015-10-27 19:55,	2015-10-27 20:00	Take medicin
BadgeNumber: 175	2015-10-27 23:55,	2015-10-28 00:00	Take medicin
BadgeNumber: 176	2015-10-28 04:55,	2015-10-28 05:00	Take medicin
BadgeNumber: 177	2015-10-28 07:55,	2015-10-28 08:00	Take out garbage container
BadgeNumber: 178	2015-10-28 09:55,	2015-10-28 10:00	Take medicin
BadgeNumber: 179	2015-10-28 14:55,	2015-10-28 15:00	Take medicin
BadgeNumber: 180	2015-10-28 18:20,	2015-10-28 19:00	Fittnes
BadgeNumber: 181	2015-10-28 19:55,	2015-10-28 20:00	Take medicin
BadgeNumber: 182	2015-10-28 23:55,	2015-10-29 00:00	Take medicin
BadgeNumber: 183	2015-10-29 04:55,	2015-10-29 05:00	Take medicin
BadgeNumber: 184	2015-10-29 09:55,	2015-10-29 10:00	Take medicin
BadgeNumber: 185	2015-10-29 14:55,	2015-10-29 15:00	Take medicin
BadgeNumber: 186	2015-10-29 18:20,	2015-10-29 19:00	Fittnes
BadgeNumber: 187	2015-10-29 18:30,	2015-10-29 18:30	Go out with Molly
BadgeNumber: 188	2015-10-29 19:55,	2015-10-29 20:00	Take medicin
BadgeNumber: 189	2015-10-29 23:55,	2015-10-30 00:00	Take medicin
BadgeNumber: 190	2015-10-30 04:55,	2015-10-30 05:00	Take medicin
BadgeNumber: 191	2015-10-30 09:55,	2015-10-30 10:00	Take medicin
BadgeNumber: 192	2015-10-30 14:55,	2015-10-30 15:00	Take medicin
BadgeNumber: 193	2015-10-30 19:40,	2015-10-30 20:00	Meet Albert
BadgeNumber: 194	2015-10-30 19:55,	2015-10-30 20:00	Take medicin
BadgeNumber: 195	2015-10-30 23:55,	2015-10-31 00:00	Take medicin
BadgeNumber: 196	2015-10-31 04:55,	2015-10-31 05:00	Take medicin
BadgeNumber: 197	2015-10-31 08:15,	2015-10-31 08:20	Pay Visa invoice
BadgeNumber: 198	2015-10-31 09:55,	2015-10-31 10:00	Take medicin
BadgeNumber: 199	2015-10-31 14:55,	2015-10-31 15:00	Take medicin
BadgeNumber: 200	2015-10-31 19:55,	2015-10-31 20:00	Take medicin
BadgeNumber: 201	2015-10-31 23:55,	2015-11-01 00:00	Take medicin

# 17. Help view

This view shows user guide for app.

Carrier 9:28 PM 100%

Done Help Back

## RemindIt for iPhone and iPad

- [1. Introduction](#)
- [2. Local notifications](#)
- [3. View orientation](#)
- [4. App views on different iOS devices](#)
  - [4.1 iPhone 4, 4s](#)
  - [4.2 iPhone 5, 5s](#)
  - [4.3 iPhone 6, 6s](#)
  - [4.4 iPhone 6 Plus, 6s Plus](#)
  - [4.5 iPad 2, Retina, Air, Air 2](#)
  - [4.6 iPad Pro](#)
- [5. Common information fields, controls and alerts.](#)
  - [5.1 Common information fields, controls \(Reminders and Series of Reminders\)](#)
  - [5.2 Common alerts \(Reminders and Series of Reminders\)](#)

[6. Main view](#)

[7. Reminders and Series of reminders](#)

[8. Reminder details view](#)

[9. Series of reminders view](#)

[9.1 Once](#)

[9.2 Days](#)

[9.3 Weeks](#)

[9.4 Months](#)

[9.5 Years](#)

[10. History view](#)

[11. History details view](#)

[12. Settings view](#)

[13. Sync settings view](#)

[14. Statistics view](#)

[15. Log view](#)

[16. Log details view](#)

[17. Help view](#)

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

[Back](#)

Navigate to previous place in help.

[\[Back to top\]](#)