

RemindIt for iPhone and iPad

[1. Introduction](#)

[2. Local notifications](#)

[3. View orientation](#)

[4. App views on different iOS devices](#)

[4.1 iPhone 4, 4s](#)

[4.2 iPhone 5, 5s](#)

[4.3 iPhone 6, 6s](#)

[4.4 iPhone 6 Plus, 6s Plus](#)

[4.5 iPad 2, Retina, Air, Air 2](#)

[4.6 iPad Pro](#)

[5. Common information fields, controls and alerts.](#)

[5.1 Common information fields, controls \(Reminders and Series of Reminders\)](#)

[5.2 Common alerts \(Reminders and Series of Reminders\)](#)

[6. Main view](#)

[7. Reminders and Series of reminders](#)

[8. Reminder details view](#)

[9. Series of reminders view](#)

[9.1 Once](#)

[9.2 Days](#)

[9.3 Weeks](#)

[9.4 Months](#)

[9.5 Years](#)

[10. History view](#)

[11. History details view](#)

[12. Settings view](#)

[13. Sync settings view](#)

[14. Statistics view](#)

[15. Log view](#)

[16. Log details view](#)

[17. Help view](#)

1. Introduction

RemindIt is a very advanced app for managing of all your events and activities.

The screenshot shows the Reminders app interface. At the top, there is a status bar with 'Carrier', signal strength, '3:06 PM', and '100%' battery. Below the status bar is a navigation bar with 'New', 'Reminders', and 'Details'. A search bar with a magnifying glass icon and the text 'Enter search text' is positioned below the navigation bar. The main content area displays a list of reminders grouped by date. Each date header is in a blue bar. The reminders are listed with their times and descriptions. The bottom of the screen features a navigation bar with 'History', a globe icon, 'Show overview', and an information icon.

Date	Time	Reminder
2015-09-30 Wednesday		
2015-09-30	14:00	Fittnes
2015-09-30	15:00	Do backup
2015-09-30	15:05	Cal Ewa
2015-09-30	20:00	Take medicin
2015-10-01 Thursday		
2015-10-01	00:00	Take medicin
2015-10-01	05:00	Take medicin
2015-10-01	10:00	Take medicin
2015-10-01	15:00	Take medicin
2015-10-01	19:00	Fittnes
2015-10-01	20:00	Take medicin
2015-10-02 Friday		
2015-10-02	00:00	Take medicin
2015-10-02	05:00	Take medicin
2015-10-02	10:00	Take medicin
2015-10-02	15:00	Take medicin
2015-10-02	20:00	Meet Albert
2015-10-02	20:00	Take medicin
2015-10-03 Saturday		
2015-10-03	00:00	Take medicin
2015-10-03	05:00	Take medicin
2015-10-03	10:00	Take medicin
2015-10-03	15:00	Take medicin
2015-10-03	20:00	Take medicin
2015-10-04 Sunday		
2015-10-04	00:00	Take medicin
2015-10-04	05:00	Take medicin
2015-10-04	08:00	Take out garbage container
2015-10-04	10:00	Take medicin
2015-10-04	15:00	Take medicin
2015-10-04	18:00	Do backup
2015-10-04	19:00	Fittnes
2015-10-04	20:00	Take medicin
2015-10-05 Monday		
2015-10-05	00:00	Take medicin
2015-10-05	05:00	Take medicin
2015-10-05	10:00	Take medicin
2015-10-05	11:00	Weekly unit meeting
2015-10-05	15:00	Take medicin
2015-10-05	17:05	Call Henrik

To maintain your events and activities just create reminders for them.

Later on, when reminders are "in time" or "overdue", the local notifications will be sent to you:

- 1) A ring tone will be played.
- 2) The local notification information will be shown on your device. Notification will be also shown on your Apple Watch if it is paired with iPhone.
- 3) The number of "in time" or "overdue" reminders will appear as an app icon badge – a small number in the upper right corner of the app icon.

The app might be used for:

- 1) Notifications about private or business events.
- 2) Dispensing of medicines.
- 3) Time management.
- 4) Scheduling.
- 5) Tracking of event completion, by recording notes for every completed event or activity.

All reminders when they are "in time" or "overdue" need to be marked as "completed" or removed, otherwise a new notification will be resent.

Marking as "completed" might be performed by editing of the reminder status or simply by swiping of the reminder to the right. Reminders marked as done are saved in history.

App maintains five types of reminders:

- 1) One-time events – a reminder about something what need to be done on a defined date and time.
- 2) Daily, one or couple of times per day – requiring events with repetition pattern based on days.
- 3) Weekly events – requiring events with repetition pattern based on weeks.
- 4) Monthly events – requiring events with repetition pattern based on months.
- 5) Yearly events – requiring events with repetition pattern based on years.

In RemindIt app has been implemented total saving/restoration of state – it means that app might be interrupted at any time (by phone call, pressing one of device buttons, screen lock) and your data will not be lost. When app is activated next time you will have option to get your latest data back.

Starting from version 2.0 app supports iCloud data synchronization - data on all iOS devices with same iCloud account will be synchronized. You can decide what kind of data should be synchronized (saved in iCloud); rest of data is saved locally.

App behavior can be customize by modification of settings – just tap "settings button" and adjust app parameters.

App help available in the app or on WWW contains detailed description of all app functions, services and options.


All app activities and events are recorded in the system log. Statistics about the app usage are accumulated.

App is optimized for iOS 9, iOS 8, iOS 7, and iOS 6 and supports all existing iOS devices.

Pictures in current document are taken from iOS9.x, iOS8.x and iOS7.x version of RemindIt. On devices, which are running older versions of iOS (6.x) some controls will look slightly different. Following table contains couple of examples of such differences.

Button

iOS6.x



iOS9.x, iOS8.x, iOS7.x

Done

Picker

iOS6.x


26	juli	2013
27	augusti	2014
28	september	2015
29	oktober	2016
30	november	2017

iOS9.x, iOS8.x, iOS7.x


June	25	2012
July	26	2013
August	27	2014
September	28	2015
October	29	2016
November	30	2017
December		2018

Stepper

iOS6.x



iOS9.x, iOS8.x, iOS7.x



Text field

iOS6.x


Click: On, Alert: On

iOS9.x, iOS8.x, iOS7.x


Click: On, Alert: On

Switch

iOS6.x



iOS9.x, iOS8.x, iOS7.x




Alert

iOS6.x




iOS9.x, iOS8.x, iOS7.x



2. Local notifications

When reminder become "due" the local notification is sent to the user:



A ring tone is played. Information about reminder is shown on top of screen.

Wednesday, September 30th

Calendar


No Events


Tomorrow


You have no events scheduled for tomorrow.


Edit


Today

-  **RemindIt** now
2015-09-30 15:15 Fittnes

-  **RemindIt** 10m ago
2015-09-30 15:05 Cal Ewa

-  **RemindIt** 20m ago
2015-09-30 15:00 Do backup

-  **RemindIt** 20m ago
2015-09-30 15:00 Take medicin

-  **RemindIt** 1h ago
2015-09-30 14:00 Take medicin

The local notification information is shown in Notification Center. Notification will be also shown on your Apple Watch if it is paired with your iPhone.



Game Center



Contacts



Photos



Safari



RemindIt



SortItPro



ClockIt



Timelt



SortIt



LoginIt




LocateIt

3. View orientation

All app view works in portrait and landscape orientation:



Portrait orientation



Landscape orientation

Just select orientation, which is most convenient for you. View orientation might be change at any time.

4. App views on different iOS devices



App supports all current iOS devices:

- iPhone 4, 4s
- iPhone 5, 5s
- iPhone 6, 6s
- iPhone 6 Plus, 6s Plus
- iPad 2, Retina, Air, Air 2
- iPad Pro



App views are designed to optimally use different iOS devices capabilities. In following sections you can see couple of screen shots of one of app view on different iOS devices with different versions of iOS.

4.1 iPhone 4, 4s

iOS6:




iOS7, iOS8, iOS9:




4.2 iPhone 5, 5s

iOS6:





iOS7, iOS8, iOS9:





4.3 iPhone 6, 6s

iOS7, iOS8, iOS9:



4.4 iPhone 6 Plus, 6s Plus

iOS7, iOS8, iOS9:



4.5 iPad 2, Retina, Air, Air 2

iOS6:



Done

Settings

Log

Time format

Date format

Show future reminders for following number of days - +

Sounds

Max number of historical reminders - +

Max number of log entries - +

iCloud get

iCloud put

Sync settings

Help



Carrier 10:51 PM 100%

Done Settings Log

Time format HH:MM:SS

Date format yyyy-mm-dd

Show future reminders for following number of days 31 - +

Sounds Click: Off, Alert: On

Max number of historical reminders 10000 - +

Max number of log entries 10000 - +

iCloud get iCloud put Sync settings Help

RemindIt, 2.0, build 6925, 2015-10-29
Copyright (c) 2011-2015 JZ IT-Konsult AB

i

Carrier 10:53 PM 100%

Done Settings Log

Time format HH:MM:SS

Date format yyyy-mm-dd

Show future reminders for following number of days 31 - +

Sounds Click: Off, Alert: On

Max number of historical reminders 10000 - +

Max number of log entries 10000 - +

iCloud get iCloud put Sync settings Help

RemindIt, 2.0, build 6925, 2015-10-29
Copyright (c) 2011-2015 JZ IT-Konsult AB ⓘ

4.6 iPad Pro

iOS9:

Carrier  10:56 PM 100% 

Done Settings Log

Time format

Date format

Show future reminders for following number of days

Sounds

Max number of historical reminders

Max number of log entries

RemindIt, 2.0, build 6925, 2015-10-29
Copyright (c) 2011-2015 JZ IT-Konsult AB



Done

Settings

Log

Time format

Date format

Show future reminders for following number of days

Sounds

Max number of historical reminders

Max number of log entries

iCloud get

iCloud put

Sync settings

Help




5. Common information fields, controls and alerts

In this section are described all common information fields, controls and alerts used in almost all app views.

5.1 Common information fields, controls (Reminders and Series of Reminders)

Done

Terminate view without saving changes. When changes were made user will be prompted for decision what to do, by showing following alert:



- User will have three possibilities:
- 1) Save changes, and exit, by choosing "Yes".
 - 2) Discard changes and exit, by selecting "No".
 - 3) Continue editing, by selecting "Cancel".

Swipe to the right.
Same as tapping "Done" button.

Save

Terminate view and save changes.



10 minutes

For every reminder you can select time when local notification will be sent to you. You may select time from 0 minutes to 4 weeks. Just tap on field – and picker with all possible choices will popup:

Save

00

5 minutes



10 minutes

15 minutes


20 minutes

25 minutes

Description

Description of reminded event.


To enter description, just tap on the field, keyboard will pop-up, and you will have possibility to tape your text.



Time

08:30 AM

Time of reminded event.



To enter time, just tap on the field, time-picker will pop-up, and you will have possibility to select time.

Time stepper:



To make adjustments and corrections of time you may use stepper:

Tapping on (-) decreases time by one minute.

Tapping on (+) increases time by one minute.

Keeping stepper pressed cause continuous value changes.

Date, Start date

Date 2015-10-05

Start 2015-10-05

Date for reminder or start date for series of reminders – date when series of reminders starts.

To enter date, just tap on the field, date-picker will pop-up, and you will have possibility to select date.

Carrier 11:16 PM 100%

Done **New Series** Save


Description 5 minutes

New reminder

Time July 30 2 2012
August 3 2013
September 4 2014

Date **October 5 2015**
November 6 2016
December 7 2017
January 8 2018

Once Days Weeks Months Years



Date, Start date stepper



To make adjustments and corrections of start date you may use stepper:

- Tapping on (-) decreases date one day.
- Tapping on (+) increases date one day.

Keeping stepper pressed cause continuous value changes.

End date

Carrier 11:20 PM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time 23:22 - +

Every 1 day - +

Times 1 per day - +

Every 0:00 hour(s) - +

Start July 15-10-30 27 2012
August 28 2013
September 29 2014
End **October 30 2015**
November 31 2016
December 1 2017
January 2 2018

Once **Days** Weeks Months Years

End date for series of reminders – date when series of reminders ends.

To enter date, just tap on the field, date-picker will pop-up, and you will have possibility to select date

End date stepper:




To make adjustments and corrections of date you may use stepper:

Tapping on (-) decreases date one day.

Tapping on (+) increases date one day.


Keeping stepper pressed cause continuous value changes.

End date "clear" button




Taping on this button causes removing of end date.


5.2 Common alerts (Reminders and Series of Reminders)




Alert is shown when you are trying to enter 'End date' which is earlier than current date and time.




Alert is shown when you are trying to enter 'End date' which is earlier than current date and time.




Alert is shown when you are trying to enter 'Reminder date' which is earlier than current date and time.



Terminate view without saving changes. When changes were made user will be prompted for decision what to do, by following this alert:



Alert is shown when you are trying to save reminder or series of reminders without description.



Alert is shown when during editing of reminder start date is changed – moved forward, for example when you are moving start time before current time.

6. Main view

It is view you will see when you start the app. View contains list of reminders and controls which allow you access to all app functions and options. Reminders are sorted by date and time – oldest first.

Dependent on how app was terminated when last time it was used, you will see one of the following:


First time start or after termination in Main view when selected reminder fit on the "first page" of reminders in Main view.


Reminders, which were overdue for more than 20 minutes ago, are shown in **red color**.

Reminders, which are overdue for less than 20 minutes are shown in **yellow color**.

Reminders, which will be overdue in 20 minutes or less, are shown in **green color**.

All other reminders have **blue color**.





Previous app state was saved
and might be restored,
2 overdue reminder(s) found

[Restore app state](#)

[Go to reminders](#)

Start after termination when app was not in Main view or when latest selected reminder was long time in the future (did not fit on the "first page" of reminders in Main view).

[Restore app state](#)

When you select "Restore app state" you will be redirected to exactly same view as it was when you were using app last time, all not saved data will be re-entered for you.

[Go to reminders](#)


When you choose "Go to reminders" you will be directed to the beginning of reminders list and previously saved app state will be lost.

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:


Enter search text

Search bar – used for searching "filtering" of reminders. When activated Main view will show only reminders containing text entered in search bar.

Main view will change to:



Here:



Keyboard



Search button – hides keyboard. Main view will show only items, which satisfies search condition, search text stays in search bar:

New

Reminders

Details

Q K

2015-09-30 Wednesday

15:00 Do backup

20:00 Take medicin

2015-10-04 Sunday

08:00 Take out garbage container


18:00 Do backup

2015-10-05 Monday

11:00 Weekly unit meeting

17:25 Call Henrik





Activated search bar, here:

“K” Searched text.



Button which clears search text.



Cancel button – terminates searching, search text is cleared, keyboard is hided.



Starts [Series of reminders view](#) – view used for creation of new reminders.



Opens [Details view](#) for reminder.



Activates [History view](#) – list of completed reminders.



“Go to next overdue reminder” buttons – the next “overdue” reminder is selected. By tapping this button couple of times you will see all “overdue” reminders.



When there is no “overdue” reminders the button is disabled



or



Buttons do switching view between showing all reminders and showing overview of reminders.

Tapping on “Show overview” will switch to “Show overview” mode, button text will change to “Show all”.

Tapping on “Show all” will switch to “Show all” mode, button text will change to “Show overview”.

In "Show all" mode all reminders from series are shown:

Carrier	8:17 AM	100%
New	Reminders	Details
Q Enter search text		
2013-08-13 Tuesday		
19:00	Fittnes	
2015-08-10 Monday		
08:10	Grandma's birthday	
08:20	Pay Visa invoice	
11:30	Call Edward	
14:00	Take medicin	
19:00	Take medicin	
2015-08-11 Tuesday		
08:20	Take medicin	
09:00	Take medicin	
14:00	Take medicin	
19:00	Take medicin	
2015-08-12 Wednesday		
09:00	Take medicin	
14:00	Take medicin	
19:00	Take medicin	
2015-08-13 Thursday		
09:00	Take medicin	
14:00	Take medicin	
19:00	Take medicin	
2015-08-14 Friday		
09:00	Take medicin	
14:00	Take medicin	
19:00	Take medicin	
2015-08-15 Saturday		
09:00	Take medicin	
14:00	Take medicin	
19:00	Take medicin	
2015-08-16 Sunday		
09:00	Take medicin	
14:00	Take medicin	
19:00	Take medicin	
2015-08-17 Monday		
09:00	Weekly unit meeting	
09:00	Take medicin	
14:00	Take medicin	
19:00	Take medicin	
2015-08-18 Tuesday		
09:00	Take medicin	
14:00	Take medicin	



History



Show overview



In "Overview mode" only one reminder per series ("oldest") is shown:

New	Reminders	Details
Q Enter search text		
2013-08-13 Tuesday		
19:00	Fittnes	
2015-08-10 Monday		
08:10	Grandma's birthday	
08:20	Pay Visa invoice	
11:30	Call Edward	
14:00	Take medicin	
2015-08-11 Tuesday		
08:20	Take medicin	
2015-08-17 Monday		
09:00	Weekly unit meeting	
2015-09-30 Wednesday		
05:00	Take medicin	
14:00	Fittnes	
15:00	Do backup	
15:05	Cal Ewa	
2015-10-01 Thursday		
19:00	Fittnes	
2015-10-02 Friday		
20:00	Meet Albert	
2015-10-04 Sunday		
08:00	Take out garbage container	
18:00	Do backup	
2015-10-05 Monday		
11:00	Weekly unit meeting	
17:25	Call Henrik	
2015-10-06 Tuesday		
08:30	New reminder	
2015-10-07 Wednesday		
17:00	Call Bob	
2015-10-09 Friday		
10:30	Visit dentist	
2015-10-17 Saturday		
08:00	Wedding anniversary	
2015-10-29 Thursday		
18:30	Go out with Molly	
2015-10-31 Saturday		
08:20	Pay Visa invoice	
2015-11-23 Monday		
08:10	Grandma's birthday	
2015-09-17 Wednesday		
History		Show all 



Activates [Settings view](#) – view used to change app parameters and options.

Double tap on reminder

Same as following actions:

- 1) Mark reminder.
- 2) Tap “Details” button.

Swipe reminder to the right

Same as following actions:


- 1) Mark reminder.
- 2) Tap details button.
- 3) Change status of reminder to “Completed”.
- 4) Save changes by tapping “Save” button.

Swipe reminder to the left

Same as following actions:

- 1) Mark reminder.
- 2) Tap details button.
- 3) Tap “Edit reminder” or “Single reminder” dependent on reminder is one time reminder or part of series.
- 4) Tap “Delete” button.

When you try to delete by swiping to the left, the confirmation alert view is shown:



- 1) To delete reminder answer “Yes”.
- 2) To keep reminder answer “No”.

[\[Back to top\]](#)

7. Reminders and Series of Reminders

Reminder is message that reminds you to do something ([Reminder - according to Cambridge Dictionaries Online](#)). Reminders can be “single” or “multiple”. Single reminder reminds you about something what is going to happen one time – for example about visiting the dentist on 10-th November. Multiple or requiring reminders remind you about something what is going to happen regularly, like every year, every month, every 4.th hour. In RemindIt app multiple reminders are described with help of [Series of reminders](#).

Reminders created with help of Series of reminders have exactly same properties as “single reminders” - might be edited, excluded from series or deleted without affecting of others reminders in series.


8. Reminder details view

Reminder details view shows details about reminder and allows:

- 1) Adjust time when local notification about reminder will be sent, here you can select time from 0 minutes to 4 weeks.
- 2) Access single reminder of series.
- 3) Initialize editing of one time reminder.
- 4) Change status of reminder to “Completed”.
- 5) Add comment to completed reminders.

The screenshot displays the 'Details' view of a reminder in the RemindIt app. At the top, there is a status bar with 'Carrier', signal strength, '8:25 AM', and '100%' battery. Below this is a navigation bar with 'Done' on the left, 'Details' in the center, and 'Save' on the right. The main content area is divided into several sections: 'Date/Time' with a text field containing '2015-09-30 15:00' and a '5 minutes' notification delay; 'Description' with a text field containing 'Take medicin'; 'Status' with two buttons, 'Pending' (selected) and 'Completed'; and 'Comment for 'Completed'' with a large text area. At the bottom, there is a bar with 'Single reminder' on the left and 'Series' on the right.

Or



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:




or



Use this control to change status of reminder.

When status of reminder is changed to "Completed" it will be possible to add comment to reminder.



Single reminder

Use this control to initialize editing of reminders, which are part of series.

The screenshot shows the 'Reminder' editing screen in the iOS Reminder app. At the top, there is a status bar with 'Carrier', signal strength, Wi-Fi, '8:31 AM', and '100%' battery. Below the status bar, the title bar contains 'Done' on the left, 'Reminder' in the center, and 'Delete Save' on the right. The main area is a large text field with the description 'Weekly unit meeting'. In the top right corner of this area, there is a globe icon and a '10 minutes' notification duration. At the bottom, there are controls for 'Time' (set to 11:00), 'Date' (set to 2015-10-05), and 'Exclude from series' (with 'Yes' and 'No' buttons). A bottom navigation bar shows five options: 'Once' (selected), 'Days', 'Weeks', 'Months', and 'Years'.

The [Series of reminders view](#) with reminder data will be opened.

You will have possibility to:

- 1) Delete reminder.
- 2) Exclude reminder from series.
- 3) Select time when local notification will be sent.

Edit reminder

Use this control to start editing of one time reminders

The screenshot shows the 'Reminder' app interface on an iPhone. At the top, the status bar displays 'Carrier', signal strength, '8:33 AM', and '100%' battery. The app header has 'Done' on the left, 'Reminder' in the center, and 'Delete' and 'Save' on the right. Below the header is a 'Description' field containing the text 'Call Henrik'. To the right of the description is a share icon and a '0 minutes' label. At the bottom, there are two rows of controls: 'Time' set to '17:25' and 'Date' set to '2015-10-05', each with minus and plus buttons. At the very bottom is a navigation bar with five options: 'Once' (selected), 'Days', 'Weeks', 'Months', and 'Years'.

The [Series of reminders view](#) with reminder data will be opened.

Here you can change all reminder data, such as:

- 1) Description.
- 2) Time when local notification will be sent.
- 3) Time of reminder.
- 4) Date of reminder.

Series

Use this control to start editing of series of reminders.

Carrier 8:34 AM 100%

Done Edit Series Delete Save

Description 10 minutes

Weekly unit meeting

Time 11:00 - + Start 2015-09-30 - +

Every 1 week - + End X - +

Day M T W T F S S

X

Once Days Weeks Months Years

For details please follow link: [Series of reminders view](#)

9. Series of reminders view

View contains five sub-views used for different types of reminders:

- 1) [Once](#): one-time events –reminder about something what need to be done on a defined date and time.
- 2) [Days](#): daily events, one or couple of times per day – requiring events with repetition pattern based on days.
- 3) [Weeks](#): weekly events – requiring events with repetition pattern based on weeks.
- 4) [Months](#): monthly events – requiring events with repetition pattern based on months.
- 5) [Years](#): yearly events – requiring events with repetition pattern based on years.

9.1 Once

This sub-view is used for creation of one-time events –reminder about something what need to be done on a defined date and time.

The screenshot shows the 'New Series' form in the 'Once' sub-view. The form is titled 'New Series' and has a 'Done' button on the left and a 'Save' button on the right. The 'Description' field contains the text 'New reminder' and has a '5 minutes' timer icon on the right. Below the description field, there are two rows of controls: 'Time' with a text input '08:40' and minus/plus buttons, and 'Date' with a text input '2015-10-31' and minus/plus buttons. At the bottom, there is a navigation bar with five tabs: 'Once' (selected), 'Days', 'Weeks', 'Months', and 'Years'.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Reminder date – the day when reminded event is going to happen.

Controls in this view are described in [Common information fields, controls \(Reminders and Series of Reminders\)](#)


[\[Back to top\]](#)

9.2 Days

This sub-view is used for creation of reminders about events which are going to happen daily, every day, every second day, every third day,..., one or couple of times per day – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:


- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on days, like every day, every second day...
- 5) Repetition pattern based on hours:
 - a. How many times per day.
 - b. How many hours between events.
- 6) Start date.
- 7) End date.
- 8)



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Every <n> day:

Every day



To select repetition pattern based on days just tap on the field, picker will pop-up and you will have possibility to choose right number.

Every <n> day stepper:


To make adjustments and corrections of repetition pattern you may use stepper:

- Tapping on (-) decreases number by one day.
- Tapping on (+) increases number by one day.

Keeping stepper pressed cause continuous value changes.

Times per day:

Times per day



To select how many times per day, the reminder event should be populated just tap on field and by using of picker select required frequency.

Times per day stepper:




To make adjustments and corrections of "Times per day" you may use stepper:

- Tapping on (-) decreases number by one.
- Tapping on (+) increases number by one.

Keeping stepper pressed cause continuous value changes.

Every <n> hours:

Every hour(s)



To select time between daily repetitions of reminders, just tap on field and by using of picker select required value.

Every <n> hours stepper:

To make adjustments and corrections of time between daily repetitions of reminders you may use stepper:

Tapping on (-) selects previous value.

Tapping on (+) selects next value.

Keeping stepper pressed cause continuous value changes.

9.3 Weeks

This sub-view is used for creation of reminders about events which are going to happen weekly, every week, every second week, every third week,..., on certain days of week – requiring events with repetition pattern based on weeks.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on weeks, like every week, every second week...
- 5) Week days when event is going to happen.
- 6) Start date.
- 7) End date.

Carrier 8:46 AM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time 08:00 - + Start 2015-11-04 - +

Every 3 week - + End X - +

Day M T W T F S S

Once Days **Weeks** Months Years

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Every <n> week:

Every week

Carrier 8:48 AM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time 08:00 - +

Every **3** week - +

Start 2015-11-04 - +

End X - +

Day

Once Days **Weeks** Months Years

To select repetition pattern based on weeks just tap on the field, picker will pop-up and you will have possibility to choose right number.

Every <n> week stepper:

To make adjustments and corrections of repetition pattern you may use stepper:

Tapping on (-) decreases number by one.

Tapping on (+) increases number by one.

Keeping stepper pressed cause continuous value changes.

Week days:

	M	T	W	T	F	S	S
Day	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


To select week days for event just tap on squares corresponding to required week days. When selected day is marked with "X". To deselect tap square again.

9.4 Months

This sub-view is used for creation of reminders about events which are going to happen monthly, every second, third... month – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:


- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on months, like every month, every second month...
- 5) Type of repetition (on defined day, every 1st, every 2nd, every 3rd, every 4th, last, every).
- 6) Type of day when repetition should happen (day number for "day", week day or group of week days for every 1st, every 2nd, every 3rd, every 4th, last, every).
By combination of (5) and (6) you can create repetitions, such as:
 - 13th day every month.
 - Every 2nd Friday of the month.
 - Every Monday.
- 7) Start date.
- 8) End date.



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Every <n> month:

Every month



To select repetition pattern based on months just tap on the field, picker will pop-up and you will have possibility to choose right number.

Every <n> month stepper:

To make adjustments and corrections of repetition pattern you may use stepper:

Tapping on (-) decreases number by one.
Tapping on (+) increases number by one.

Keeping stepper pressed cause continuous value changes.

Type of repetition:

The

Carrier 9:22 AM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time - + Start - +

Every - + End - +


The

Once Days Weeks Months Years

To select type of repetition just tap on the field, picker will pop-up and you will have possibility to choose right type of repetition.

Carrier 9:24 AM 100%

Done **New Series** Save

Description  5 minutes

New reminder


Time 09:00 Start 2016-01-17 Every 3 month End X The day 17

Once Days Weeks **Months** Years

When "day" was selected in first step you will select day number by taping on next field, picker with possible values will pop-up.


Carrier 9:11 AM 100%

Done **New Series** Save

Description  5 minutes

New reminder

Time 09:00 - + Start 2016-01-05 - +

Every 3 mon  End X - +

The 3rd **Sunday**

Once Days Weeks **Months** Years

When "every 1st", "every 2nd", "every 3rd", every "4th", "last", "every" was selected in first step you have to select type of day by taping on next field. Picker with possible values will pop-up.

9.5 Years

This sub-view is used for creation of reminders about events which are going to every year – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Months of year.
- 5) Type of repetition (day, every 1st, every 2nd, every 3rd, every 4th, last, every).
- 6) Type of day when repetition should happen (day number for "day", type of week day for every 1st, every 2nd, every 3rd, every 4th, last, every).

By combination of (5) and (6) you can create repetitions, such as:

- 13th day in August.
- Every 2nd Friday in August.
- Every Monday in August.

7) Start date.

8) End date.

Carrier 9:34 AM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time 09:00 Start 2016-01-17

Every October End X


The day 31

Once Days Weeks Months **Years**

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Month:

Every



To select month just tap on the field, picker will pop-up and you will have possibility to choose right value.

Month stepper:



To make adjustments and corrections of selected month:

- Tapping on (-) selects previous month.
- Tapping on (+) selects next month.

Keeping stepper pressed cause continuous value changes.

Type of repetition:

The

Carrier 9:37 AM 100%

Done **New Series** Save

Description 5 minutes

New reminder

Time - + Start - +

Every - + End - +


The

Once Days Weeks Months **Years**

To select type of repetition just tap on the field, picker will pop-up and you will have possibility to choose right value.

Carrier 9:37 AM 100%

Done **New Series** Save

Description  5 minutes

New reminder

Time 09:00 - + Start 2017-10-16 - +

Every October 21 22 23 24 25 26 27 +


The day 24

Once Days Weeks Months **Years**

When "day" was selected in first step you will select day number by taping on next field, picker with possible values will pop-up.

Carrier 2:08 PM 100%

Done **New Series** Save

Description  5 minutes

New reminder

Time 14:10 - + Start 2016-11-01 - +

Every October End X - +

The 1st **Wednesday**

Sat-Sun
Monday
Tuesday
Wednesday
Thursday
Friday
Saturday

Once Days Weeks Months **Years**

When "1st", "2nd", "3rd", "4th", "last", "every" was selected in first step you have to select type of day by taping on next field. Picker with possible values will pop-up.

10. History view

View contains list of completed reminders sorted by date – latest first.

Carrier	2:10 PM	100%
Done	Reminders history	Details
<input type="text" value="Q Enter search text"/>		
2015-09-30 Wednesday		
16:00	Take medicin	
08:00	Take out garbage container	
05:00	Take medicin	
2015-09-29 Tuesday		
19:00	Take medicin	
14:00	Take medicin	
09:00	Take medicin	
2015-09-28 Monday		
09:00	Weekly unit meeting	
2015-09-22 Tuesday		
19:00	Take medicin	
14:00	Take medicin	
09:00	Take medicin	
2015-09-21 Monday		
09:00	Weekly unit meeting	
2015-09-15 Tuesday		
19:00	Take medicin	
14:00	Take medicin	
09:00	Take medicin	
2015-09-14 Monday		
09:00	Weekly unit meeting	
2015-09-11 Friday		
19:00	Take medicin	
14:00	Take medicin	
09:00	Take medicin	
2015-09-10 Thursday		
19:00	Take medicin	
14:00	Take medicin	
09:00	Take medicin	
08:20	Pay Visa invoice	
2015-09-09 Wednesday		
19:00	Take medicin	
14:00	Take medicin	
09:00	Take medicin	
2015-09-08 Tuesday		
19:00	Take medicin	
14:00	Take medicin	
09:00	Take medicin	
2015-09-07 Monday		
19:00	Take medicin	
14:00	Take medicin	

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Details

Terminate view, go back to [Main view](#).

Double tap on reminder

Same as following actions:


- a. Mark reminder.
- b. Tap "Details" button.

Swipe reminder to the right

Same as actions:

- a. Mark reminder.
- b. Tap details button.
- c. Tap "Restore" button.

11. History details view



History details view contains detailed information about completed reminder:
More exactly here you will see:

- 1) Date/Time of reminder.
- 2) Time when local notification will be sent.
- 3) Description.
- 4) Date and time when reminder has changed status to "Completed".
- 5) Comment.

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:



This button moves reminder from history back to ordinary reminders. Comment and date/time for completion of reminder will be lost.




or



Tapping of this button (when it is enabled) will redirect you to [Series of reminders view](#), view data will be taken from historical reminder. This can be used for reviewing of series for reminders or for re-activation of already completed series of reminders. Button is enabled only for historical reminders related to series of reminders


Editing of comment



To change comment just tap on comment field and do all necessary changes. Later on you have to save changes by tapping on "Save" button.

12. Settings view


This view allows you to configure some system parameters and settings. From this view you have also access to [Log view](#), [Sync settings View](#), [Statistics view](#) and [Help view](#)



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:



Terminate view and save changes. Go to [Log view](#).



Terminate view and save changes. Go to [Sync settings View](#).



Terminate view and save changes. Go to [Statistics view](#)

Help

Terminate view and save changes. Go to [Help view](#).

Time format

HH:MM:SS

Determines time format in all views.

The screenshot shows the RemindIt settings interface. At the top, there is a status bar with 'Carrier', signal strength, '7:03 PM', and '100%' battery. Below the status bar is a navigation bar with 'Done' on the left, 'Settings' in the center, and 'Log' on the right. The main content area is a list of settings:


- Time format:** A dropdown menu is open, showing three options: 'HH:MM:SS' (selected), 'HH:MM:SS AM/PM', and 'yyyy-mm-dd'.
- Date format:** A text field containing 'yyyy-mm-dd'.
- Show future reminders for following number of days:** A numeric field with '31' and minus/plus buttons.
- Sounds:** A text field containing 'Click: Off, Alert: On'.
- Max number of historical reminders:** A numeric field with '10000' and minus/plus buttons.
- Max number of log entries:** A numeric field with '10000' and minus/plus buttons.

At the bottom of the settings list, there are four buttons: 'iCloud get', 'iCloud put', 'Sync settings', and 'Help'. In the bottom left corner, there is small text: 'RemindIt, 2.0, build 6325, 2015-10-29 Copyright (c) 2011-2015 JZ IT-Konsult AB'. In the bottom right corner, there is an information icon (i).

Date format

yyyy-mm-dd

Determines date format in all views.



Show future reminders for following number of days

31

-

+

'Determines how many requiring reminders from series will be shown in [Main view](#). For example when this parameter is 31, Main view will contain 31 reminders of type "every day".

Parameter affects only requiring reminders. Every series of reminders will have at least one "representative" in Main view.

When "End date" does not expire and some reminders from series are moved to history or deleted, the new "next in series" reminders will be populated.

Sounds

Click: On, Alert: On

Determines system sounds, there are two types of sounds, which can be configured:

- Click – confirmation sound for opening the view, changing orientation, etc.
- Alert – ring tone for local notification


You may select all combinations of system sounds by selecting them with picker

Max number of
historical
reminders

10000

–

+



Determines maximum number of entries in reminders history. When number of historical reminders exceeds this number the oldest reminders will be deleted.

Max number of log entries

10000

-

+

Determines maximum number of entries in system log. When number of log entries exceeds this number the oldest log entries will be deleted.

iCloud get


Force copying app data from iCloud (overrides standard strategy based on modification date/time and size of data).

iCloud put




Force copying app data to iCloud (overrides standard strategy based on modification date/time and size of data).

13. Sync settings view

This view is used to configure what data should be synchronized with iCloud. View looks like this:



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:


Determines if app will use iCloud for storing and synchronization of data and settings.

Determines if app settings will be synchronized with iCloud and restored on all your iOS devices with same iCloud account

Determines if app data will be synchronized with iCloud and restored on all your iOS devices with same iCloud account.

Get iCloud app settings

Fore copying app settings from iCloud.

Put iCloud app settings

Fore copying app settings to iCloud.

Remove iCloud app settings

Remove app settings from iCloud.

Get iCloud app data

Fore copying app data from iCloud (overrides standard strategy based on data modification date/time and size).

Put iCloud app data

Fore copying app data to iCloud (overrides standard strategy based on data modification date/time and size).

Remove iCloud app data


Remove app data from iCloud.

14. Statistics view

This view shows statistics about usage of app and other related information:

Information which is shown:


- 1) Version, build number, build date.
- 2) Resolution of device screen.
- 3) Battery level.
- 4) Memory usage statistics.
- 5) App usage statistics.
- 6) Information about Reminder database.
- 7) Information about Log database.
- 8) List of files in app document directory.
- 9) App files sizes.
- 10) Modification date time for local and iCloud databases.



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of](#)

[Reminders](#)) and additionally:

Reset



Reset statistics - clears accumulated statistics and sets to zero system-counters.

To reset statistics you must answer "Yes" on alert question.

[Back to top](#)

15. Log view

Log view contains list of all system events. Every event might be investigated by activating [Log details view](#).

Carrier	7:06 AM	100%
Done	Log	Details
Q Enter search text Cancel		
2015-11-01 07:06:16 INFO: terminating Log Details View		
2015-11-01 07:06:14 INFO: starting Log Details View		
2015-11-01 07:06:09 MEMORY: 98.2 Mbytes		
2015-11-01 07:05:09 MEMORY: 93.6 Mbytes		
2015-11-01 07:04:53 INFO: orientation changed to: 'Landscape Right'		
2015-11-01 07:04:09 MEMORY: 94.7 Mbytes		
2015-11-01 07:03:33 INFO: orientation changed to: 'Portrait'		
2015-11-01 07:03:30 INFO: starting Log View		
2015-11-01 07:03:28 ICLOUD: Found DB-iCloud file. File date: 2015-11-01 06:49, file size:167936		
2015-11-01 07:03:28 ICLOUD: Found 3 iCloud files:		
2015-11-01 07:03:28 INFO: addObserver: NSMetadataQueryDidUpdateNotification		
2015-11-01 07:03:28 INFO: removeObserver: NSMetadataQueryDidFinishGatheringNotification		
2015-11-01 07:03:28 INFO: addObserver: NSMetadataQueryDidFinishGatheringNotification		
2015-11-01 07:03:28 INFO: removeObserver: NSMetadataQueryDidUpdateNotification		
2015-11-01 07:03:27 INFO: terminating 'Statistics View'		
2015-11-01 07:03:09 MEMORY: 82.4 Mbytes		
2015-11-01 07:02:09 INFO: starting Statistics View		
2015-11-01 07:02:08 ICLOUD: Found DB-iCloud file. File date: 2015-11-01 06:49, file size:167936		
2015-11-01 07:02:08 ICLOUD: Found 3 iCloud files:		
2015-11-01 07:02:08 INFO: addObserver: NSMetadataQueryDidUpdateNotification		
2015-11-01 07:02:08 INFO: removeObserver: NSMetadataQueryDidFinishGatheringNotification		
2015-11-01 07:02:08 INFO: addObserver: NSMetadataQueryDidFinishGatheringNotification		
2015-11-01 07:02:07 INFO: removeObserver: NSMetadataQueryDidUpdateNotification		
2015-11-01 07:02:07 INFO: starting Settings View		
2015-11-01 07:01:08 ICLOUD: Found 3 iCloud files:		
2015-11-01 07:01:04 ICLOUD: Found 3 iCloud files:		
2015-11-01 07:01:03 ICLOUD: Found 3 iCloud files:		
2015-11-01 07:01:02 ICLOUD: Found 3 iCloud files:		
2015-11-01 07:01:01 ICLOUD: Found 3 iCloud files:		
2015-11-01 07:01:00 INFO: DB file timestamp restored to: 2015-11-01 06:49:54		
2015-11-01 07:01:00 INFO: openRemindItDB: OK, database opened:		
2015-11-01 07:01:00 INFO: opening RemindIt.data.db:		
2015-11-01 07:01:00 ICLOUD: iCloud file do not copied - local file is newer or same, local date/time: 2015-11-01 06:49:54, iCloud date/time: 2015-11-01 06:49:54		
2015-11-01 07:01:00 INFO: closeRemindItDB: OK, database closed:		
2015-11-01 07:01:00 ICLOUD: Found DB-iCloud file. File date: 2015-11-01 06:49, file size:167936		
2015-11-01 07:01:00 ICLOUD: Found 3 iCloud files:		
2015-11-01 07:01:00 INFO: addObserver: NSMetadataQueryDidUpdateNotification		
2015-11-01 07:01:00 INFO: removeObserver: NSMetadataQueryDidFinishGatheringNotification		

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

<p>Details</p> <p>Open Log details view.</p>
<p>Double tap on log event</p> <p>Same as following actions:</p> <ul style="list-style-type: none">a. Mark reminder.b. Tap “Details” button.
<p>Shake phone</p> <p>Refresh log events.</p>

16. Log details view

View shows detailed information about log entry.

Carrier 7:08 AM100%

DoneLog details

Date/time 2015-11-01 07:00:50

Description

```
NOTIF: scheduled 64 notification(s) of 232:
  First: 2015-11-02 05:15[0], icon badge number: 1
  Last: 2015-11-09 11:15[63], icon badge number: 64
Number of scheduled local notifications: 64
BadgeNumber: 1 2015-11-02 05:15, 2015-11-02 05:15 BMW kupevärmare (C1)
BadgeNumber: 2 2015-11-02 07:15, 2015-11-02 07:15 Bord up - må
BadgeNumber: 3 2015-11-02 08:15, 2015-11-02 08:15 Bord ner - må
BadgeNumber: 4 2015-11-02 09:15, 2015-11-02 09:15 Bord up - må
BadgeNumber: 5 2015-11-02 10:15, 2015-11-02 10:15 Bord ner - må
BadgeNumber: 6 2015-11-02 11:15, 2015-11-02 11:15 Bord up - må
BadgeNumber: 7 2015-11-02 12:15, 2015-11-02 12:15 Bord ner - må
BadgeNumber: 8 2015-11-02 13:15, 2015-11-02 13:15 Bord up - må
BadgeNumber: 9 2015-11-02 14:15, 2015-11-02 14:15 Bord ner - må
BadgeNumber: 10 2015-11-02 15:15, 2015-11-02 15:15 Bord up - må
BadgeNumber: 11 2015-11-02 16:15, 2015-11-02 16:15 Bord ner - må
BadgeNumber: 12 2015-11-03 05:15, 2015-11-03 05:15 BMW kupevärmare (C1)
BadgeNumber: 13 2015-11-03 07:15, 2015-11-03 07:15 Bord up - ti
BadgeNumber: 14 2015-11-03 08:15, 2015-11-03 08:15 Bord ner - ti
BadgeNumber: 15 2015-11-03 09:15, 2015-11-03 09:15 Bord up - ti
BadgeNumber: 16 2015-11-03 10:15, 2015-11-03 10:15 Bord ner - ti
BadgeNumber: 17 2015-11-03 11:15, 2015-11-03 11:15 Bord up - ti
BadgeNumber: 18 2015-11-03 12:15, 2015-11-03 12:15 Bord ner - ti
BadgeNumber: 19 2015-11-03 13:15, 2015-11-03 13:15 Bord up - ti
BadgeNumber: 20 2015-11-03 14:15, 2015-11-03 14:15 Bord ner - ti
BadgeNumber: 21 2015-11-03 15:15, 2015-11-03 15:15 Bord up - ti
BadgeNumber: 22 2015-11-03 16:15, 2015-11-03 16:15 Bord ner - ti
BadgeNumber: 23 2015-11-04 05:15, 2015-11-04 05:15 BMW kupevärmare (C1)
BadgeNumber: 24 2015-11-04 07:15, 2015-11-04 07:15 Bord up - on
BadgeNumber: 25 2015-11-04 08:15, 2015-11-04 08:15 Bord ner - on
BadgeNumber: 26 2015-11-04 09:15, 2015-11-04 09:15 Bord up - on
BadgeNumber: 27 2015-11-04 10:15, 2015-11-04 10:15 Bord ner - on
BadgeNumber: 28 2015-11-04 11:15, 2015-11-04 11:15 Bord up - on
BadgeNumber: 29 2015-11-04 12:15, 2015-11-04 12:15 Bord ner - on
BadgeNumber: 30 2015-11-04 13:15, 2015-11-04 13:15 Bord up - on
BadgeNumber: 31 2015-11-04 14:15, 2015-11-04 14:15 Bord ner - on
BadgeNumber: 32 2015-11-04 15:15, 2015-11-04 15:15 Bord up - on
BadgeNumber: 33 2015-11-04 16:15, 2015-11-04 16:15 Bord ner - on
BadgeNumber: 34 2015-11-04 17:55, 2015-11-04 18:00 Avboka Måby Park
BadgeNumber: 35 2015-11-05 05:15, 2015-11-05 05:15 BMW kupevärmare (C1)
BadgeNumber: 36 2015-11-05 07:15, 2015-11-05 07:15 Bord up - to
BadgeNumber: 37 2015-11-05 08:15, 2015-11-05 08:15 Bord ner - to
BadgeNumber: 38 2015-11-05 09:15, 2015-11-05 09:15 Bord up - to
BadgeNumber: 39 2015-11-05 10:15, 2015-11-05 10:15 Bord ner - to
BadgeNumber: 40 2015-11-05 11:15, 2015-11-05 11:15 Bord up - to
BadgeNumber: 41 2015-11-05 12:15, 2015-11-05 12:15 Bord ner - to
BadgeNumber: 42 2015-11-05 13:15, 2015-11-05 13:15 Bord up - to
BadgeNumber: 43 2015-11-05 14:15, 2015-11-05 14:15 Bord ner - to
BadgeNumber: 44 2015-11-05 15:15, 2015-11-05 15:15 Bord up - to
BadgeNumber: 45 2015-11-05 16:15, 2015-11-05 16:15 Bord ner - to
BadgeNumber: 46 2015-11-06 05:15, 2015-11-06 05:15 BMW kupevärmare (C1)
BadgeNumber: 47 2015-11-06 07:15, 2015-11-06 07:15 Bord up - fr
BadgeNumber: 48 2015-11-06 08:15, 2015-11-06 08:15 Bord ner - fr
BadgeNumber: 49 2015-11-06 09:15, 2015-11-06 09:15 Bord up - fr
BadgeNumber: 50 2015-11-06 10:15, 2015-11-06 10:15 Bord ner - fr
BadgeNumber: 51 2015-11-06 11:15, 2015-11-06 11:15 Bord up - fr
BadgeNumber: 52 2015-11-06 12:15, 2015-11-06 12:15 Bord ner - fr
BadgeNumber: 53 2015-11-06 13:15, 2015-11-06 13:15 Bord up - fr
BadgeNumber: 54 2015-11-06 14:15, 2015-11-06 14:15 Bord ner - fr
BadgeNumber: 55 2015-11-06 15:15, 2015-11-06 15:15 Bord up - fr
BadgeNumber: 56 2015-11-06 16:15, 2015-11-06 16:15 Bord ner - fr
BadgeNumber: 57 2015-11-07 08:55, 2015-11-07 09:00 Restart Nexa
BadgeNumber: 58 2015-11-09 05:15, 2015-11-09 05:15 BMW kupevärmare (C1)
BadgeNumber: 59 2015-11-09 07:15, 2015-11-09 07:15 Bord up - må
```


Done

Log details

Date/time 2015-10-31 19:02:21

Description

INFO: Starting program

RemindIt, 2.0, build 6925, 2015-10-29
iPhone OS 9.1, iPad,
Resolution: 2048 x 2732,
Battery level: -100.0%


List of files in document directory:

RemindIt.Version.2.0	:	0
RemindIt.status	:	660
RemindIt.statistics	:	597
RemindIt.setup	:	710
RemindIt.log.db	:	274432
RemindIt.data.db	:	167936

Total bytes 444335

17. Help view

This view shows user guide for app.



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of](#)

[Reminders](#)) and additionally:

Back

Navigate to previous place in help.