

RemindIt for iPhone and iPad

1. Introduction

2. Local notifications

3. View orientation

4. App views on different iOS devices

4.1 iPhone 4, 4s

4.2 iPhone 5, 5s

4.3 iPhone 6, 6s

4.4 iPhone 6 Plus, 6s Plus

4.5 iPad 2, Retina, Air, Air 2

4.6 iPad Pro

5. Common information fields, controls and alerts.

5.1 Common information fields, controls

(Reminders and Series of Reminders)

5.2 Common alerts

(Reminders and Series of Reminders)

6. Main view

7. Reminders and Series of reminders

8. Reminder details view

9. Series of reminders view

9.1 Once

9.2 Days

9.3 Weeks

9.4 Months

9.5 Years

10. History view

11. History details view

12. Settings view

13. Sync settings view

14. Statistics view

15. Log view

16. Log details view

17. Help view

1. Introduction

RemindIt is a very advanced app for managing of all your events and activities.



To maintain your events and activities just create reminders for them.

Later on, when reminders are "in time" or "overdue", the local notifications will be sent to you:

- 1) A ring tone will be played.
- 2) The local notification information will be shown on your device. Notification will be also shown on your Apple Watch if it is paired with iPhone.
- 3) The number of "in time" or "overdue" reminders will appear as an app icon badge – a small number in the upper right corner of the app icon.

The app might be used for:

- 1) Notifications about private or business events.
- 2) Dispensing of medicines.
- 3) Time management.
- 4) Scheduling.
- 5) Tracking of event completion, by recording notes for every completed event or activity.

All reminders when they are "in time" or "overdue" need to be marked as "completed" or removed, otherwise a new notification will be resent.

Marking as "completed" might be performed by editing of the reminder status or simply by swiping of the reminder to the right. Reminders marked as done are saved in history.

App maintains five types of

reminders:

- 1) One-time events – a reminder about something what need to be done on a defined date and time.
- 2) Daily, one or couple of times per day – requiring events with repetition pattern based on days.
- 3) Weekly events – requiring events with repetition pattern based on weeks.
- 4) Monthly events – requiring events with repetition pattern based on months.
- 5) Yearly events – requiring events with repetition pattern based on years.

In RemindIt app has been implemented total saving/restoration of state – it

means that app might be interrupted at any time (by phone call, pressing one of device buttons, screen lock) and your data will not be lost. When app is activated next time you will have option to get your latest data back.

Starting from version 2.0 app supports iCloud data synchronization - data on all iOS devices with same iCloud account will be synchronized. You can decide what kind of data should be synchronized (saved in iCloud); rest of data is saved locally.

App behavior can be customize by modification of settings – just tap "settings button" and adjust app parameters.

App help available in the app or on WWW contains detailed description of all app functions, services and options.

All app activities and events are recorded in the system log. Statistics about the app usage are accumulated.

App is optimized for iOS 9, iOS 8, iOS 7, and iOS 6 and supports all existing iOS devices.


Pictures in current document are taken from iOS9.x, iOS8.x and iOS7.x version of RemindIt. On devices, which are running older versions of iOS (6.x) some controls will look slightly different. Following table contains couple of examples of such differences.

Button

iOS6.x



iOS9.x, iOS8.x, iOS7.x



Picker

iOS6.x


26	juli	2013
27	augusti	2014
28	september	2015
29	oktober	2016
30	november	2017

iOS9.x, iOS8.x, iOS7.x


June	25	2012
July	26	2013
August	27	2014
September	28	2015
October	29	2016
November	30	2017
December		2018

Stepper

iOS6.x



iOS9.x, iOS8.x, iOS7.x




Text field

iOS6.x



iOS9.x, iOS8.x, iOS7.x



Switch

iOS6.x



iOS9.x, iOS8.x, iOS7.x




Alert

iOS6.x




iOS9.x, iOS8.x, iOS7.x




[\[Back to top\]](#)

2. Local notifications

When reminder become “due” the local notification is sent to the user:




A ring tone is played. Information about reminder is shown on top of screen.



The local notification information

is shown in Notification Center.
Notification will be also shown on
your Apple Watch if it is paired
with your iPhone.




The number of "in time" or "overdue" reminders appear as an

app icon badge – a small number in the upper right corner of the app icon.

[\[Back to top\]](#)


3. View orientation

All app view works in portrait and landscape orientation:



Portrait orientation

or



Landscape orientation

Just select orientation, which is most convenient for you. View orientation might be change at any time.

[\[Back to top\]](#)

4. App views on different iOS devices

App supports all current iOS devices:

- iPhone 4, 4s
- iPhone 5, 5s
- iPhone 6, 6s
- iPhone 6 Plus, 6s Plus
- iPad 2, Retina, Air, Air 2

App views are designed to optimally use different iOS devices capabilities. In following sections you can see couple of screen shots of one of app view on different iOS devices with different versions of iOS.

[\[Back to top\]](#)

4.1 iPhone 4, 4s

iOS6:



Done

Settings

Log

Time format

HH:MM:SS

Max number of
log entries

Date format

yyyy-mm-dd

10000

Show future
reminders for
following
number of days

31

Sounds

-

+

-

+

Click: On, Alert: On

Cloud get

Cloud put

Help

Max number of
historical
reminders

10000



Sync settings

-

+

Remindit, 2.0 build 6662, 2015-09-26
Copyright (c) 2013-2015 JJ IT-Agency AG

iOS7, iOS8, iOS9:

Carrier  6:04 AM 

Done Settings Log

Time format


Date format

Show future reminders for following number of days

Sounds

Max number of historical reminders

Max number of log entries

RemindIt, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB 

Done

Settings

Log

Time format

HH:MM:SS

Max number of
log entries

Date format

yyyy-mm-dd

10000

Show future
reminders for
following
number of days

31

Sounds

-

+

-

+

Click: On, Alert: On

iCloud get

iCloud put

Help

Max number of
historical
reminders

10000

Sync settings

-

+

Remindit, 2.0 build-6740, 2015-10-06
Copyright (c) 2011-2015 JJ (J)Konsult AB[\[Back to top\]](#)

4.2 iPhone 5, 5s

iOS6:



Done

Settings

Log

Time format

HH:MM:SS

Max number of
log entries

10000

Date format

yyyy-mm-dd

-

+

Show future
reminders for
following
number of days

31

-

+

Sounds

Click: On, Alert: On

Max number of
historical
reminders

10000

-

+

Cloud get

Cloud put

Sync settings

Help

RemindIt, 2.0, build 6962, 2015-09-26
Copyright (c) 2011-2015 JZ IT-Konsult AB



iOS7, iOS8, iOS9:

◀ Back to Settings 6:32 AM

Done Settings Log

Time format HH:MM:SS

Date format yyyy-mm-dd

Show future reminders for following number of days 31 - +

Sounds Click: On, Alert: On

Max number of historical reminders 10000 - +

Max number of log entries 10000 - +

iCloud get iCloud put Sync settings Help

RemindIt, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB ⓘ

Done

Settings


Log

Time format	<input type="text" value="HH:MM:SS"/>	Max number of log entries	<input type="text" value="10000"/>
Date format	<input type="text" value="yyyy-mm-dd"/>		<input type="button" value="-"/> <input type="button" value="+"/>
Show future reminders for following number of days	<input type="text" value="31"/>	Sounds	<input type="text" value="Click: On, Alert: On"/>
	<input type="button" value="-"/> <input type="button" value="+"/>	<input type="button" value="iCloud get"/>	<input type="button" value="iCloud put"/>
Max number of historical reminders	<input type="text" value="10000"/>	<input type="button" value="Sync settings"/>	<input type="button" value="Help"/>
	<input type="button" value="-"/> <input type="button" value="+"/>	RemindIt, 2.0, build 6749, 2015-10-06 Copyright (c) 2011-2015 JZ IT-Konsult AB	

[\[Back to top\]](#)

4.3 iPhone 6, 6s

iOS7, iOS8, iOS9:



Done


Settings

Log

Time format Max number of log entries Date format Sounds Show future reminders for following number of days Max number of historical reminders *RemindIt, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 J2 IT-Konsult AB*[\[Back to top\]](#)

4.4 iPhone 6 Plus, 6s Plus

iOS7, iOS8, iOS9:



Done


Settings

Log

Time format Max number of log entries Date format Sounds Show future reminders for following number of days Max number of historical reminders Reminat, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB[\[Back to top\]](#)

4.5 iPad 2, Retina, Air, Air 2

iOS6:



Cancel

Settings

Done

Time format

HH:MM:SS

Date format

yyyy-mm-dd

Show future reminders for following number of days

31

-

+

Sounds

Click On, Alert On

Max number of historical reminders

10000

-

+

Max number of log entries

10000

-

+

iCloud get


iCloud put


Sync settings

Help



iOS7, iOS8, iOS9:







[\[Back to top\]](#)

4.6 iPad Pro

iOS9:





[\[Back to top\]](#)

5. Common information fields, controls and alerts

In this section are described all common information fields, controls and alerts used in almost all app views.

[\[Back to top\]](#)

5.1 Common information fields, controls (Reminders and Series of Reminders)



Done

Terminate view without saving changes. When changes were made user will be prompted for decision what to do, by showing following alert:



Done

New Series

Save

Description



5 minutes

New reminder

Data has changed. Do You
want to save it?

Yes

No

Cancel

Time

Every

M T W T F S S

Day

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------

Start

2015-09-30

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

User will have three possibilities:

- 1) Save changes, and exit, by choosing “Yes”.
- 2) Discard changes and exit, by selecting “No”.
- 3) Continue editing, by selecting “Cancel”.

Swipe to the right.

Same as tapping “Done” button.




Save

Terminate view and save changes.



10 minutes


For every reminder you can select time when local notification will be sent to you. You may select time from 0 minutes to 4 weeks. Just tap on field – and picker with all possible choices will popup:





Description



Carrier 5:01 PM

Done **New Series** Save

Description  5 minutes

New reminder |



Time 17:10  


Every 1 week  

that of to

Q W E R T Y U I O P


A S D F G H J K L

 Z X C V B N M 

123  space return

Description of reminded event.
To enter description, just tap on the field, keyboard will pop-up, and you will have possibility to tape your text.

Time



Time of reminded event.

Done

New Series

Save

Description



5 minutes

New reminder

5 27

6 28

7 29

8 30 AM

9 31 PM

10 32

11 33

Time

08:30 AM

-

+

Every

10 32

-

+

Times

1 per day

-

+

Every

0:00 hour(s)

-

+

Start

2015-10-06

-

+

End

X

-

+

Once

Days

Weeks


Months

Years

To enter time, just tap on the

field, time-picker will pop-up, and you will have possibility to select time.

Time stepper:



To make adjustments and corrections of time you may use stepper:

Tapping on (-) decreases time by one minute.

Tapping on (+) increases time by one minute.

Keeping stepper pressed cause continuous value changes.

Date, Start date

Date

2015-10-05

Start

2015-10-05

Date for reminder or start date for series of reminders – date when series of reminders starts.

To enter date, just tap on the field, date-picker will pop-up, and you will have possibility to select date.



Done

New Series

Save

Description



5 minutes

New reminder

Time

July

2

2012

August

3

2013

September

4

2014

Date

October 0-05

5

2015

November

6

2016

December

7

2017

January

8

2018

Once

Days

Weeks

Months

Years



Done

New Series

Save

Description



5 minutes

New reminder

Time

05:10

-

+

Every

2

day

-

+

Times

4

per day

-

+

Every

July

2

2012

August

3

2013

September

4

2014

Start

October 0-05

5

2015

November

6

2016

End

December

7

2017

January

8

2018

Once

Days

Weeks

Months

Years

Date, Start date stepper



To make adjustments and corrections of start date you may use stepper:

Tapping on (-) decreases date one day.


Tapping on (+) increases date one day.

Keeping stepper pressed cause continuous value changes.

End date

Carrier 5:35 PM

Done New Series Save

Description  5 minutes

New reminder

Time 05:10

Every 2 day

Times 4 per day

Every 3:00 hour(s)

Start

End

End date for series of reminders
– date when series of reminders ends.

To enter date, just tap on the field, date-picker will pop-up, and you will have possibility to select date

End date stepper:




To make adjustments and corrections of date you may use stepper:

Tapping on (-) decreases date one day.

Tapping on (+) increases date one day.

Keeping stepper pressed cause continuous value changes.


End date "clear" button




Taping on this button causes removing of end date.

[\[Back to top\]](#)


5.2 Common alerts (Reminders and Series of Reminders)




Alert is shown when you are trying to enter 'End date' which is earlier than current date and time.



Terminate view without saving changes. When changes were made user will be prompted for decision what to do, by following this alert



Alert is shown when you are trying to save reminder or series of reminders without description.



Alert is shown when during editing of reminder start date is changed – moved forward, for example when you are moving start time before current time.

[\[Back to top\]](#)

6. Main view

It is view you will see when you start the app. View contains list of reminders and controls which allow you access to all app functions and options. Reminders are sorted by date and time – oldest first.

Dependent on how app was terminated when last time it was used, you will see one of the following:



New

Reminders

Details

2015-09-30 Wednesday

14:00 Fittnes

15:00 Do backup

15:05 Cal Ewa

20:00 Take medicin

2015-10-01 Thursday

19:00 Fittnes

2015-10-02 Friday

20:00 Meet Albert

2015-10-04 Sunday

08:00 Take out garbage container

18:00 Do backup

2015-10-05 Monday

11:00 Weekly unit meeting

2015-10-06 Tuesday

08:30 New reminder

2015-10-09 Friday

10:30 Visit dentist

2015-10-31 Saturday

08:00 Do Miss issues

History



Show all



First time start or after termination in Main view when selected reminder fit on the "first page" of reminders in Main view.

Reminders, which were overdue for more than 20 minutes ago, are shown in **red color**.

Reminders, which are overdue for less than 20 minutes are shown in **yellow color**.

Reminders, which will be overdue in 20 minutes or less, are shown in **green color**.

All other reminders have **blue color**.

New

Reminders

Details

2015-09-29 Tuesday

21:20 Cal Ewa

22:30 Go out with Molly

2015-09-30 Wednesday

00:00 Take medicin

05:00

06:20

06:30

08:00

10:00

15:00

19:00

20:00 take medicin

2015-10-01 Thursday

00:00 Take medicin

05:00 Take medicin

10:00 Take medicin

15:00 Take medicin

19:00 Fittnes

20:00 Take medicin

Previous app state was saved
and might be restored,

5 overdue reminder(s) found

[Restore app state](#)

[Go to reminders](#)

History



Show overview



Start after termination when app was not in Main view or when latest selected reminder was long time in the future (did not fit on the "first page" of reminders in Main view).

[Restore app state](#)

When you select "Restore app state" you will be redirected to exactly same view as it was when you were using app last time, all not saved data will be re-entered for you.

[Go to reminders](#)

When you choose "Go to reminders" you will be directed to the beginning of reminders list and previously saved app state will be lost.

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:



Q Enter search text

Search bar – used for searching “filtering” of reminders. When activated Main view will show only reminders containing text entered in search bar.

Main view will change to:

New

Reminders

Details

 H

Cancel

2015-09-29 Tuesday

22:30 Go out with Molly

2015-09-30 Wednesday

06:30 Call Henrik

2016-08-10 Wednesday

08:10 Grandma's birthday

2016-09-30 Friday

08:00 John's birthday

Q

W

E

R

T

Y

U

I

O

P

A

S

D

F

G

H

J

K

L



Z

X

C

V

B

N

M




123



space

Search

Here:



Keyboard

Search

Search button – hides keyboard. Main view will show only items, which satisfies search condition, search text stays in search bar:

[New](#)[Reminders](#)[Details](#)**2015-09-29 Tuesday**

22:30 Go out with Molly

2015-09-30 Wednesday

06:30 Call Henrik

2016-08-10 Wednesday

08:10 Grandma's birthday

2016-09-30 Friday

08:00 John's birthday

[History](#)[Show overview](#)



Activated search bar, here:

“H” Searched text.



Button which clears search text.



Cancel button – terminates searching, search text is cleared, keyboard is hided.



Starts [Series of reminders view](#) – view used for creation of new reminders.

Details

Opens [Details view](#) for reminder.

History

Activates [History view](#) – list of completed reminders.



“Go to next overdue reminder” buttons – the next “overdue” reminder is selected. By tapping this button couple of times you will see all “overdue” reminders.



When there is no “overdue” reminders the button is disabled

Show overview

or

Show all

Buttons do switching view between showing all reminders and showing overview of reminders.

Tapping on "Show overview" will switch to "Show overview" mode, button text will change to "Show all".

Tapping on "Show all" will switch to "Show all" mode, button text will change to "Show overview".

In "Show all" mode all reminders from series are shown:

[New](#)[Reminders](#)[Details](#)**2015-09-30 Wednesday**

15:00 Take medicin

17:25 Call Bob

17:25 Call Henrik

19:00 Fittnes

20:00 Take medicin

2015-10-01 Thursday

00:00 Take medicin

05:00 Take medicin

10:00 Take medicin

15:00 Take medicin

19:00 Fittnes

20:00 Take medicin

2015-10-02 Friday

00:00 Take medicin

05:00 Take medicin

10:00 Take medicin

15:00 Take medicin

20:00 Meet Albert

00:00 Take medicin

[History](#)[Show overview](#)

In "Overview mode" only one reminder per series ("oldest") is shown:





Activates [Settings view](#) – view used to change app parameters and options.

Double tap on reminder

Same as following actions:

- 1) Mark reminder.
- 2) Tap “Details” button.

Swipe reminder to the right

Same as following actions:

- 1) Mark reminder.
- 2) Tap details button.
- 3) Change status of reminder to “Completed”.
- 4) Save changes by tapping “Save” button.

Swipe reminder to the left

Same as following actions:

- 1) Mark reminder.
- 2) Tap details button.
- 3) Tap “Edit reminder” or “Single reminder” dependent on reminder is one time reminder or part of series.
- 4) Tap “Delete” button.

When you try to delete by swiping to the left, the confirmation alert view is shown:

New

Reminders

Details

Enter search text

2015-09-30 Wednesday

15:00 Take medicin

17:25 Call Bob

17:25 Call Henrik

19:00 Fittnes

20:00 Take medicin

2015-10-01 Thursday

00:00

05:00

10:00

15:00

19:00 Fittnes

20:00 Take medicin

2015-10-02 Friday

00:00 Take medicin

05:00 Take medicin

10:00 Take medicin

15:00 Take medicin

20:00 Meet Albert

00:00 Take medicin

Do You want to delete single
reminder of series?

No

Yes

History



Show overview



- 1) To delete reminder answer "Yes".
- 2) To keep reminder answer "No".

[\[Back to top\]](#)

7. Reminders and Series of Reminders

Reminder is message that reminds you to do something ([Reminder - according to Cambridge Dictionaries Online](#)).

Reminders can be “single” or “multiple”. Single reminder reminds you about something what is going to happen one time – for example about visiting the dentist on 10-th November.

Multiple or requiring reminders remind you about something what is going to happen regularly, like every year, every month, every 4.th hour.

In RemindIt app multiple reminders are described with help of [Series of reminders](#).

Reminders created with help of

Series of reminders have exactly same properties as “single reminders” - might be edited, excluded from series or deleted without affecting of others reminders in series.

[\[Back to top\]](#)

8. Reminder details view

Reminder details view shows details about reminder and allows:

- 1) Adjust time when local notification about reminder will be sent, here you can select time from 0 minutes to 4 weeks.
- 2) Access single reminder of series.
- 3) Initialize editing of one time reminder.
- 4) Change status of reminder to "Completed".
- 5) Add comment to completed reminders.

Done

Details

Save

Date/Time

2015-09-30 15:00

Description



5 minutes

Take medicin

Status

Pending

Completed

Comment for 'Completed'

Single reminder

Series

or

Done

Details

Save

Date/Time

2015-09-30 17:25

Description



0 minutes

Call Henrik

Status

Pending

Completed

Comment for 'Completed'

Edit reminder

Series

Controls in this view – common

controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:



Pending

Completed

or



Pending

Completed

Use this control to change status of reminder.

When status of reminder is changed to “Completed” it will be possible to add comment to reminder.

Done

Details

Save

Status

Pending

Completed

Comment for 'Completed'

Done

"Done"

Donee

Donegal

Q W E R T Y U I O P

A S D F G H J K L



Z X C V B N M



123



space

return

Single reminder

Use this control to initialize editing of reminders, which are part of series.



Done

Reminder

Delete Save

Description



10 minutes

Weekly unit meeting

Time

11:00

-

+

Date

2015-10-05

-

+

Exclude from series

Yes

No

Once

Days

Weeks

Months

Years

The [Series of reminders view](#) with reminder data will be opened.

You will have possibility to:

- 1) Delete reminder.
- 2) Exclude reminder from series.
- 3) Select time when local notification will be sent.

Edit reminder

Use this control to start editing of one time reminders



Done

Reminder

Delete Save

Description



0 minutes

Call Henrik

Time

17:25

-

+

Date

2015-09-30

-

+

Once

Days

Weeks

Months

Years

The [Series of reminders view](#) with reminder data will be opened.

Here you can change all reminder data, such as:


- 1) Description.
- 2) Time when local notification will be sent.
- 3) Time of reminder.
- 4) Date of reminder.

Series

Use this control to start editing of series of reminders.

Carrier 8:46 PM

Done Edit Series Delete Save

Description  10 minutes

Weekly unit meeting

Time 11:00 - +

Every 1 week - +

Day M T W T F S S

Start 2015-09-30 - +

End - +

Once Days Weeks Months Years

For details please follow link:
[Series of reminders view](#)

[\[Back to top\]](#)

9. Series of reminders view

View contains five sub-views used for different types of reminders:

- 1) Once: one-time events – reminder about something what need to be done on a defined date and time.
- 2) Days: daily events, one or couple of times per day – requiring events with repetition pattern based on days.
- 3) Weeks: weekly events – requiring events with repetition pattern based on weeks.
- 4) Months: monthly events –

requiring events with repetition pattern based on moths.

- 5) Years: yearly events – requiring events with repetition pattern based on years.

[\[Back to top\]](#)

9.1 Once

This sub-view is used for creation of one-time events –reminder about something what need to be done on a defined date and time.

Done

New Series

Save

Description



5 minutes

New reminder

Time

05:10

-

+

Date

2015-10-05

-

+

Once

Days

Weeks

Months

Years

To create reminder of this type

you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Reminder date – the day when reminded event is going to happen.

Controls in this view are described in [Common information fields, controls \(Reminders and Series of Reminders\)](#)

[\[Back to top\]](#)

9.2 Days

This sub-view is used for creation of reminders about events which are going to happen daily, every day, every second day, every third day, ..., one or couple of times per day – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on days, like every day, every second day...
- 5) Repetition pattern based on hours:
 - a. How many times per day.

b. How many hours between events.

6) Start date.

7) End date.

Done

New Series

Save

Description



5 minutes

New reminder

Time

05:10

-

+

Every

2

day

-

+

Times

4

per day

-

+

Every

3:00

hour(s)

-

+

Start

2015-10-05

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Every <n> day:

Every

2

day



Done

New Series

Save

Description



5 minutes

New reminder

Time

05:10



-

+

1

Every

2

2

day

-

+

3

Times

4

4

per day

-

+

n

Every

3:00

hour(s)

-

+

Start

2015-10-05

-

+

End

X



-

+

Once

Days


Weeks

Months

Years

To select repetition pattern based on days just tap on the field, picker will pop-up and you will have possibility to choose right number.

Every <n> day stepper:



To make adjustments and corrections of repetition pattern you may use stepper:

Tapping on (-) decreases number by one day.

Tapping on (+) increases number by one day.

Keeping stepper pressed cause continuous value changes.

Times per day:

Times

4

per day

Done

New Series

Save

Description



5 minutes

New reminder

Time

05:10

-

+

Every

2

day

-

+

3

Times

4

per day

-

+

5

Every

60

hour(s)

-

+

7

Start

2015-10-05

-

+

End

X

-

+

Once

Days


Weeks

Months

Years

To select how many times per day, the reminder event should be populated just tap on field and by using of picker select required frequency.

Times per day stepper:



To make adjustments and corrections of "Times per day" you may use stepper:

Tapping on (-) decreases number by one.

Tapping on (+) increases number by one.

Keeping stepper pressed cause continuous value changes.

Every <n> hours:

Every

3:00

hour(s)



Done

New Series

Save

Description



5 minutes

New reminder

Time

05:10

-

+

Every

2

day

-

+

Times

1:30

2:00

2:30

3:00

3:30

4:00

4:30

5:00

per day

-

+

Every

3:00

hour(s)

-

+

Start

4:00 -05

-

+

End

X

-

+

Once

Days


Weeks

Months

Years

To select time between daily repetitions of reminders, just tap on field and by using of picker select required value.

Every <n> hours stepper:



To make adjustments and corrections of time between daily repetitions of reminders you may use stepper:

Tapping on (-) selects previous value.

Tapping on (+) selects next value.

Keeping stepper pressed cause continuous value changes.

[\[Back to top\]](#)

9.3 Weeks

This sub-view is used for creation of reminders about events which are going to happen weekly, every week, every second week, every third week, ..., on certain days of week – requiring events with repetition pattern based on weeks.


To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on weeks, like every week, every second week...
- 5) Week days when event is going to happen.
- 6) Start date.

7) End date.

Carrier 9:21 PM

Done **New Series** Save

Description  5 minutes

New reminder

Time 21:30

Every 1 week

Day M T W T F S S

Start 2015-10-28

End

Once Days **Weeks** Months Years

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Every <n> week:

Every

3

week



Done

Edit Series

Delete Save

Description



5 minutes

New reminder

Time

01:30

-

+

2

Every

3

week

-

+

4

Day

5

T

W

T

F

S

S

X

X

Start

2015-10-06

-

+

End

X

-

+

Once

Days


Weeks

Months

Years

To select repetition pattern based on weeks just tap on the field, picker will pop-up and you will have possibility to choose right number.

Every <n> week stepper:



To make adjustments and corrections of repetition pattern you may use stepper:

Tapping on (-) decreases number by one.

Tapping on (+) increases number by one.

Keeping stepper pressed cause continuous value changes.

Week days:

	M	T	W	T	F	S	S
Day	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

To select week days for event just tap on squares corresponding to required week days. When selected day is marked with "X". To deselect tap square again.

[\[Back to top\]](#)

9.4 Months

This sub-view is used for creation of reminders about events which are going to happen monthly, every second, third... month – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on months, like every month, every second month...
- 5) Type of repetition (on defined day, every 1st, every 2nd, every 3rd, every 4th, last, every).

6) Type of day when repetition should happen (day number for "day", week day or group of week days for every 1st, every 2nd, every 3rd, every 4th, last, every).

By combination of (5) and (6) you can create repetitions, such as:

- 13th day every month.
- Every 2nd Friday of the month.
- Every Monday.

7) Start date.

8) End date.

Done

Edit Series

Delete Save

Description



5 minutes

New reminder

Time

08:30

-

+

Every

3

month

-

+

The

day

10

Start

2015-10-06

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Every <n> month:

Every

3

month



Done

Edit Series

Delete Save

Description



5 minutes

New reminder

Time

01:30

-

+

2

Every

3

month

-

+

4

The

5

Oct

10

Start

2015-10-06

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

To select repetition pattern based on months just tap on the field, picker will pop-up and you will have possibility to choose right number.

Every <n> month stepper:



To make adjustments and corrections of repetition pattern you may use stepper:

Tapping on (-) decreases number by one.

Tapping on (+) increases number by one.


Keeping stepper pressed cause continuous value changes.

Type of repetition:

The

3rd

Tuesday



To select type of repetition just tap on the field, picker will pop-up and you will have possibility to choose right type of repetition.



When "day" was selected in first step you will select day number by tapping on next field, picker with possible values will pop-up.



Done

Edit Series

Delete Save

Description



5 minutes

New reminder

Time

08:30

-

+

Every

2

months

Mon-Fri

Sat-Sun

Monday

Tuesday

Wednesday

Thursday

Friday

The

3rd

Start

2015-10-06

End

X

-

+

Once

Days

Weeks

Months

Years

When "every 1st", "every 2nd", "every 3rd", every "4th", "last", "every" was selected in first step you have to select type of day by tapping on next field. Picker with possible values will pop-up.

[\[Back to top\]](#)

9.5 Years

This sub-view is used for creation of reminders about events which are going to every year – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Months of year.
- 5) Type of repetition (day, every 1st, every 2nd, every 3rd, every 4th, last, every).
- 6) Type of day when repetition should happen (day number for "day", type of week day for every 1st, every 2nd, every 3rd,

every 4th, last, every).

By combination of (5) and (6) you can create repetitions, such as:

- 13th day in August.
- Every 2nd Friday in August.
- Every Monday in August.

7) Start date.

8) End date.



Done

Edit Series

Delete Save

Description



5 minutes

New reminder

Time

08:30

-

+

Every

October

-

+

The

day

6

Start

2015-10-06

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Month:

Every

October



Done

Edit Series

Delete Save

Description



5 minutes

New reminder

Time

August

-

+

September

Every

October

-

+

November

The

December

Start

2015-10-06

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

To select month just tap on the field, picker will pop-up and you will have possibility to choose right value.

Month stepper:



To make adjustments and corrections of selected month:

Tapping on (-) selects previous month.

Tapping on (+) selects next month.


Keeping stepper pressed cause continuous value changes.

Type of repetition:


The

day


10



To select type of repetition just tap on the field, picker will pop-up and you will have possibility to choose right value.



When "day" was selected in first step you will select day number by tapping on next field, picker with possible values will pop-up



When "1st", "2nd", "3rd", "4th", "last", "every" was selected in first step

you have to select type of day by tapping on next field. Picker with possible values will pop-up.

[\[Back to top\]](#)

10. History view

View contains list of completed reminders sorted by date – latest first.



The screenshot shows the 'Reminders history' view in an iPhone app. At the top, there is a status bar with 'Carrier', signal strength, '5:01 PM', and battery level. Below the status bar is a navigation bar with 'Done', 'Reminders history', and 'Details'. A search bar with a magnifying glass icon and the text 'Enter search text' is positioned below the navigation bar. The main content area displays a list of reminders, grouped by date. Each date group is highlighted with a blue background. The reminders are listed with their times and descriptions.

Date	Time	Reminder
2015-09-30 Wednesday	10:00	Take medicin
2015-09-30 Wednesday	08:00	Take out garbage container
2015-09-30 Wednesday	05:00	Take medicin
2015-09-29 Tuesday	22:30	Go out with Molly
2015-09-29 Tuesday	21:20	Cal Ewa
2015-08-10 Monday	08:10	Grandma's birthday
2015-02-17 Tuesday	08:00	Wedding anniversary
2014-08-10 Sunday	08:10	Grandma's birthday
2014-02-17 Monday	08:00	Wedding anniversary
2013-08-13 Tuesday	19:00	Take medicin
2013-08-13 Tuesday	19:00	Fittnes
2013-08-13 Tuesday	14:00	Take medicin
2013-08-13 Tuesday	09:00	Take medicin
2013-08-12 Monday		

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Details

Terminate view, go back to [Main view](#).

Double tap on reminder

Same as following actions:

- a. Mark reminder.
- b. Tap "Details" button.



Swipe reminder to the right

Same as actions:

- a. Mark reminder.
- b. Tap details button.
- c. Tap "Restore" button.


[\[Back to top\]](#)

11. History details view

Carrier  5:17 PM 

Done **Details** Save

Date/Time 2015-09-29 21:20

Description  0 minutes

Cal Ewa

Completed Date/Time 2015-09-30 17:14:54

Comment for 'Completed'

Status changed by swipe gesture

Restore Series

History details view contains detailed information about completed reminder:

More exactly here you will see:

- 1) Date/Time of reminder.
- 2) Time when local notification will be sent.
- 3) Description.
- 4) Date and time when reminder has changed status to "Completed".
- 5) Comment.

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:



Restore

This button moves reminder from

history back to ordinary reminders. Comment and date/time for completion of reminder will be lost.


Series

or

Series

Tapping of this button (when it is enabled) will redirect you to [Series of reminders view](#), view data will be taken from historical reminder. This can be used for reviewing of series for reminders or for re-activation of already completed series of reminders. Button is enabled only for historical reminders related to series of reminders

Editing of comment



To change comment just tap on

comment field and do all necessary changes. Later on you have to save changes by tapping on “Save” button.

[\[Back to top\]](#)

12. Settings view

This view allows you to configure some system parameters and settings. From this view you have also access to [Log view](#), [Sync settings View](#), [Statistics view](#) and [Help view](#)

Done

Settings

Log

Time format

HH:MM:SS

Date format

yyyy-mm-dd

Show future
reminders for
following
number of days

31

-

+

Sounds

Click: On, Alert: On

Max number of
historical
reminders

10000

-

+

Max number of
log entries

10000

-

+

iCloud get

iCloud put

Sync settings

Help

Controls in this view – common

controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

A rectangular button with a black border and a light gray background, containing the text "Log" in a dark blue font.

Terminate view and save changes. Go to [Log view](#).

A rectangular button with a black border and a light blue background, containing the text "Sync settings" in a dark blue font.

Terminate view and save changes. Go to [Sync settings View](#).

A square button with a black border and a light blue background, containing a dark blue circle with a lowercase letter "i" inside, representing an information icon.

Terminate view and save changes. Go to [Statistics view](#)

A light blue square button with a black border and rounded corners, containing the word "Help" in a dark blue font.

Help

Terminate view and save changes. Go to [Help view](#).

A light blue horizontal bar with a black border. On the left, the text "Time format" is displayed. On the right, there is a white rounded rectangular input field containing the text "HH:MM:SS".

Time format

HH:MM:SS

Determines time format in all views.

[Done](#)[Settings](#)[Log](#)

Time format

H:MM:SS

Date format

HH:MM:SS AM/PM

yyyy-mm-dd

Show future reminders for following number of days

31

-

+

Sounds

Click: On, Alert: On

Max number of historical reminders

10000

-

+

Max number of log entries

10000

-

+

[iCloud get](#)[iCloud put](#)[Sync settings](#)[Help](#)

Date format

yyyy-mm-dd

Determines date format in all views.



Show future
reminders for
following
number of days

31

–

+

Determines how many requiring reminders from series will be shown in [Main view](#). For example when this parameter is 31, Main view will contain 31 reminders of type “every day”.

Parameter affects only requiring reminders. Every series of reminders will have at least one “representative” in Main view.

When “End date” does not expire and some reminders from series are moved to history or deleted, the new “next in series” reminders will be populated.

Determines system sounds, there are two types of sounds, which can be configured:

- Click – confirmation sound for opening the view, changing orientation, etc.
- Alert – ring tone for local notification

You may select all combinations of system sounds by selecting them with picker

Done

Settings

Log

Time format

HH:MM:SS

Date format

yyyy-mm-dd

Show future reminders for following number of days

Sounds

Max number of historical reminders

Max number of log entries

10000

-

+

iCloud get

iCloud put

Sync settings

Help



Max number of
historical
reminders

10000

-

+

Determines maximum number of entries in reminders history. When number of historical reminders exceeds this number the oldest reminders will be deleted.

Max number of
log entries

10000

-

+

Determines maximum number of entries in system log. When number of log entries exceeds this number the oldest log entries will be deleted.

iCloud get

Force copying app data from iCloud (overrides standard strategy based on modification date/time and size of data)


iCloud put

Force copying app data to iCloud (overrides standard strategy based on modification date/time and size of data).

[\[Back to top\]](#)

13. Sync settings view

This view is used to configure what data should be synchronized with iCloud. View looks like this:



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Use iCloud



Determines if app will use iCloud for storing and synchronization of data and settings.

Sync app settings



Determines if app settings will be synchronized with iCloud and restored on all your iOS devices with same iCloud account.

Auto sync iCloud app data



Determines if app data will be synchronized with iCloud and restored on all your iOS devices with same iCloud account.

Get iCloud app settings

Force copying app settings from iCloud.

Put iCloud app settings

Force copying app settings to iCloud.

Remove iCloud app settings

Remove app settings from iCloud.

Get iCloud app data

Force copying app data from iCloud (overrides standard strategy based on data modification date/time and size).

Put iCloud app data

Force copying app data to iCloud (overrides standard strategy based on data modification date/time and size).

Remove iCloud app data

Remove app data from iCloud.

[\[Back to top\]](#)

14. Statistics view

This view shows statistics about usage of app and other related information:

Information which is shown:

- 1) Version, build number, build date.
- 2) Resolution of device screen.
- 3) Battery level.
- 4) Memory usage statistics.
- 5) App usage statistics.
- 6) Information about Reminder database.
- 7) Information about Log database.
- 8) List of files in app document directory.
- 9) App files sizes.
- 10) Modification date time for local and iCloud databases.

Done

Statistics

Reset

RemindIt, 2.0, build 6749, 2015-10-06

iPhone OS 9.0, iPhone,
Resolution: 1242 x 2208,
Battery level: -100.0%

Memory in use (Mbytes):	75.6
Max memory used (Mbytes):	88.9
Average memory used (Mbytes):	73.4

Time max used:	2015-09-26 07:39:12
Number of memory checks:	350

First app use:	2015-09-22 17:40:16
Number of app uses:	20
Total time app used:	7:04:13
Average time app used:	0:21:12

Number of reminders:	274
Number of historical reminders:	1348
Number of series of reminders:	95

Number of log entries:	894
------------------------	-----

List of files in document directory:

RemindIt.Version.2.0	:	0
RemindIt.status	:	673
RemindIt.statistics	:	596
RemindIt.setup	:	710
RemindIt.log.db	:	159744
RemindIt.data.db	:	151552

Total bytes: 313275
Total Mbytes: 0.3

Local DB date/time: 2015-10-06 16:40:07
iCloud DB date/time: 2015-10-06 16:40:07

Controls in this view – common

controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Reset

Reset statistics - clears accumulated statistics and sets to zero system-counters. To reset statistics you must answer "Yes" on alert question.

Done

Statistics

Reset

RemindIt, 2.0, build 6749, 2015-10-06

iPhone OS 9.0, iPhone,
Resolution: 1242 x 2208,
Battery level: -100.0%

Memory in use (Mbytes): 75.6
Max memory used (Mbytes): 88.9
Average memory used (Mbytes): 73.4

Time max used: 2015-09-26 07:39:12
Number of memory checks: 350

First app use: 2015-09-22 17:40:16
Number of app uses: 20
Total time used: 2015-09-22 17:40:16
Average

Number of
Number of
Number of

Number of

Resetting of Statistics

Do You really want to reset statistics?

No

Yes

List of files in document directory:

RemindIt.Version.2.0 : 0
RemindIt.status : 673
RemindIt.statistics : 596
RemindIt.setup : 710
RemindIt.log.db : 159744
RemindIt.data.db : 151552

Total bytes: 313275
Total Mbytes: 6.3

Local DB date/time: 2015-10-06 16:40:07
iCloud DB date/time: 2015-10-06 16:40:07

15. Log view

Log view contains list of all system events. Every event might be investigated by activating [Log details view](#).

Carrier	5:14 PM	Done	Log	Details
<input type="text" value="Enter search text"/>				
2015-10-07	17:14:22	INFO:	starting Log View	
2015-10-07	17:14:20	INFO:	starting Settings View	
2015-10-07	17:14:17	INFO:	app become active: RemindItV..	
2015-10-07	17:14:17	INFO:	Starting program	
2015-10-07	17:14:17	INFO:	DB file timestamp restored t..	
2015-10-07	17:14:17	INFO:	Generated: 5 reminder(s)	
2015-10-07	17:14:17	INFO:	openRemindItDB: OK, database..	
2015-10-07	17:14:17	INFO:	opening RemindIt.data.db:	
2015-10-07	17:14:17	ERROR:	program did not terminated.	
2015-10-07	17:14:17	START:	didFinishLaunchingWithOptio..	
2015-10-07	17:14:17	INFO:	openLogDB: OK, database open..	
2015-10-06	21:19:05	INFO:	starting Settings View	
2015-10-06	21:19:03	INFO:	terminating 'Historical Remi..	
2015-10-06	21:19:01	INFO:	terminating 'Reminder Detail..	
2015-10-06	21:18:52	MEMORY:	75.7 Mbytes	
2015-10-06	21:17:55	INFO:	starting Reminder Details Vi..	
2015-10-06	21:17:53	INFO:	terminating 'Reminder Detail..	
2015-10-06	21:16:52	MEMORY:	75.4 Mbytes	
2015-10-06	21:16:24	INFO:	starting Reminder Details Vi..	
2015-10-06	21:16:22	INFO:	terminating 'Reminder Detail..	
2015-10-06	21:15:52	MEMORY:	72.0 Mbytes	
2015-10-06	21:14:52	MEMORY:	62.5 Mbytes	
2015-10-06	21:14:10	INFO:	starting Reminder Details Vi..	
2015-10-06	21:13:56	INFO:	starting Historical Reminder..	
2015-10-06	21:13:53	INFO:	app become active: RemindItV..	
2015-10-06	21:13:53	INFO:	Starting program	

Controls in this view – common

controls described in [Common information fields](#), controls ([Reminders and Series of Reminders](#)) and additionally:

Details

Open [Log details view](#).

Double tap on log event

Same as following actions:

- a. Mark reminder.
- b. Tap “Details” button.


Shake phone

Refresh log events.

[\[Back to top\]](#)

16. Log details view

View shows detailed information about log entry.



Done

Log details

Date/time

2015-10-06 18:15:43

Description

NOTIFY scheduled 44 notification(s) of 2144

First: 2015-10-06 18:20(41), icon badge number: 42

Last: 2015-10-08 14:55(104), icon badge number: 105


Number of scheduled local notification(s): 44

BadgeNumber:	42	2015-10-06 18:20,	2015-10-06 18:00	Fitness
BadgeNumber:	43	2015-10-06 19:55,	2015-10-06 20:00	Take medicine
BadgeNumber:	44	2015-10-06 23:55,	2015-10-07 00:00	Take medicine
BadgeNumber:	45	2015-10-07 04:55,	2015-10-07 05:00	Take medicine
BadgeNumber:	46	2015-10-07 09:55,	2015-10-07 10:00	Take medicine
BadgeNumber:	47	2015-10-07 14:55,	2015-10-07 15:00	Take medicine
BadgeNumber:	48	2015-10-07 18:20,	2015-10-07 19:00	Fitness
BadgeNumber:	49	2015-10-07 19:55,	2015-10-07 20:00	Take medicine
BadgeNumber:	50	2015-10-07 23:55,	2015-10-08 00:00	Take medicine
BadgeNumber:	51	2015-10-08 04:55,	2015-10-08 05:00	Take medicine
BadgeNumber:	52	2015-10-08 09:55,	2015-10-08 10:00	Take medicine
BadgeNumber:	53	2015-10-08 10:30,	2015-10-08 10:30	Visit dentist
BadgeNumber:	54	2015-10-08 14:55,	2015-10-08 15:00	Take medicine
BadgeNumber:	55	2015-10-08 18:20,	2015-10-08 19:00	Fitness

[\[Back to top\]](#)

17. Help view

This view shows user guide for app.



[Done](#)[Help](#)[Back](#)

[\(Reminders and Series of Reminders\)](#)

[6. Main view](#)

[7. Reminders and Series of reminders](#)

[8. Reminder details view](#)

[9. Series of reminders view](#)

[9.1 Once](#)

[9.2 Days](#)

[9.3 Weeks](#)

[9.4 Months](#)

[9.5 Years](#)

[10. History view](#)

[11. History details view](#)

[12. Settings view](#)

[13. Sync settings view](#)

[14. Statistics view](#)

[15. Log view](#)

[16. Log details view](#)

[17. Help view](#)

Controls in this view – common controls described in [Common information fields, controls](#)

[\(Reminders and Series of Reminders\)](#) and additionally:

Back

Navigate to previous place in help.

[\[Back to top\]](#)