

RemindIt for iPhone and iPad

[1. Introduction](#)

[2. Local notifications](#)

[3. View orientation](#)

[4. App views on different iOS devices](#)

[4.1 iPhone 4, 4s](#)

[4.2 iPhone 5, 5s](#)

[4.3 iPhone 6, 6s](#)

[4.4 iPhone 6 Plus, 6s Plus](#)

[4.5 iPad 2, Retina, Air, Air 2](#)

[4.6 iPad Pro](#)

[5. Common information fields, controls
and alerts.](#)

[5.1 Common information fields, controls
\(Reminders and Series of
Reminders\)](#)

[5.2 Common alerts \(Reminders and
Series of Reminders\)](#)

[6. Main view](#)

[7. Reminders and Series of reminders](#)

[8. Reminder details view](#)

[9. Series of reminders view](#)

[9.1 Once](#)

[9.2 Days](#)

[9.3 Weeks](#)

[9.4 Months](#)

[9.5 Years](#)

[10. History view](#)

[11. History details view](#)

[12. Settings view](#)

[13. Sync settings view](#)

[14. Statistics view](#)

[15. Log view](#)

[16. Log details view](#)

[17. Help view](#)

1. Introduction

RemindIt is a very advanced app for managing of all your events and activities.

The screenshot shows the RemindIt app interface. At the top, there is a status bar with 'Carrier', signal strength, '3:02 PM', and battery level. Below the status bar is a navigation bar with 'New', 'Reminders', and 'Details' options. A search bar is located below the navigation bar with the placeholder text 'Enter search text'. The main content area displays a list of reminders grouped by date. Each date is highlighted in a dark blue bar, and the reminders themselves are in light blue bars with colored accents. The bottom of the screen features a navigation bar with 'History', a calendar icon, 'Show all', and an information icon.

Date	Time	Event
2015-09-30 Wednesday		
14:00	Fittnes	
15:00	Do backup	
15:05	Cal Ewa	
20:00	Take medicin	
2015-10-01 Thursday		
19:00	Fittnes	
2015-10-02 Friday		
20:00	Meet Albert	
2015-10-04 Sunday		
08:00	Take out garbage container	
18:00	Do backup	
2015-10-05 Monday		
11:00	Weekly unit meeting	
2015-10-06 Tuesday		
08:30	New reminder	
2015-10-09 Friday		
10:30	Visit dentist	
2015-10-31 Saturday		
08:00	Pay Misc invoice	

To maintain your events and activities just create reminders for them.

Later on, when reminders are "in time" or "overdue", the local notifications will be sent to you:

- 1) A ring tone will be played.
- 2) The local notification information will be shown on your device. Notification will be also shown on your Apple Watch if it is paired with iPhone.
- 3) The number of "in time" or "overdue" reminders will appear as an app icon badge – a small number in the upper right corner of the app icon.

The app might be used for:

- 1) Notifications about private or business events.
- 2) Dispensing of medicines.
- 3) Time management.
- 4) Scheduling.
- 5) Tracking of event completion, by recording notes for every completed event or activity.

All reminders when they are "in time" or "overdue" need to be marked as "completed"

or removed, otherwise a new notification will be resent.

Marking as “completed” might be performed by editing of the reminder status or simply by swiping of the reminder to the right.

Reminders marked as done are saved in history.

App maintains five types of reminders:

- 1) One-time events – a reminder about something what need to be done on a defined date and time.
- 2) Daily, one or couple of times per day – requiring events with repetition pattern based on days.
- 3) Weekly events – requiring events with repetition pattern based on weeks.
- 4) Monthly events – requiring events with repetition pattern based on months.
- 5) Yearly events – requiring events with repetition pattern based on years.

In RemindIt app has been implemented total saving/restoration of state – it means that app might be interrupted at any time (by phone call, pressing one of device buttons, screen lock) and your data will not be lost. When app is activated next time you will

have option to get your latest data back.

Starting from version 2.0 app supports iCloud data synchronization - data on all iOS devices with same iCloud account will be synchronized. You can decide what kind of data should be synchronized (saved in iCloud); rest of data is saved locally.

App behavior can be customize by modification of settings – just tap "settings button" and adjust app parameters.

App help available in the app or on WWW contains detailed description of all app functions, services and options.

All app activities and events are recorded in the system log. Statistics about the app usage are accumulated.


App is optimized for iOS 9, iOS 8, iOS 7, and iOS 6 and supports all existing iOS devices.

Pictures in current document are taken from iOS9.x, iOS8.x and iOS7.x version of RemindIt. On devices, which are running older versions of iOS (6.x) some controls will look slightly different. Following table contains couple of examples of such

differences.

Button

iOS6.x



iOS9.x, iOS8.x, iOS7.x



Picker

iOS6.x


26	juli	2013
27	augusti	2014
28	september	2015
29	oktober	2016
30	november	2017

iOS9.x, iOS8.x, iOS7.x

June	25	2012
July 5:45	26	2013
August	27	2014
September 9	28	2015
October	29	2016
November	30	2017
December		2018

Stepper

iOS6.x



iOS9.x, iOS8.x, iOS7.x



Text field

iOS6.x



iOS9.x, iOS8.x, iOS7.x



Switch

iOS6.x



iOS9.x, iOS8.x, iOS7.x




Alert

iOS6.x




iOS9.x, iOS8.x, iOS7.x



[\[Back to top\]](#)

2. Local notifications

When reminder become "due" the local notification is sent to the user:



A ring tone is played. Information about reminder is shown on top of screen.

Today

Notifications



RemindIt

**RemindIt**

7m ago

2015-09-30 05:00 Take medicin

RemindIt

Yesterday, 11:54 PM

2015-09-30 00:00 Take medicin

RemindIt

Yesterday, 10:29 PM

2015-09-29 22:30 Go out with Molly


RemindIt

Yesterday, 9:20 PM

2015-09-29 21:20 Cal Ewa

The local notification information is shown in Notification Center. Notification will be also shown on your Apple Watch if it is paired

with your iPhone.




The number of "in time" or "overdue"

reminders appear as an app icon badge – a small number in the upper right corner of the app icon.

[\[Back to top\]](#)


3. View orientation

All app view works in portrait and landscape orientation:



Portrait orientation

or



Landscape orientation

Just select orientation, which is most convenient for you. View orientation might be change at any time.

[\[Back to top\]](#)

4. App views on different iOS devices

App supports all current iOS devices:

- iPhone 4, 4s
- iPhone 5, 5s
- iPhone 6, 6s
- iPhone 6 Plus, 6s Plus
- iPad 2, Retina, Air, Air 2
- iPad Pro

App views are designed to optimally use different iOS devices capabilities. In following sections you can see couple of screen shots of one of app view on different iOS devices with different versions of iOS.

[\[Back to top\]](#)

4.1 iPhone 4, 4s

iOS6:

Carrier  6:17 AM 

Done **Settings** **Log**

Time format

Date format

Show future reminders for following number of days

Sounds

Max number of historical reminders

Max number of log entries

RemindIt, 2.0, build 6662, 2015-09-26
Copyright (c) 2011-2015 JZ IT-Konsult AB 

Done

Settings

Log

Time format

HH:MM:SS

Max number of
log entries

Date format

yyyy-mm-dd

10000

Show future
reminders for
following
number of days

31

Sounds

-

+

-

+

Click: On, Alert: On

iCloud get

iCloud put

Help

Max number of
historical
reminders

10000

Sync settings

-

+

*RemindIt, 2.0, build 6662, 2015-09-26
Copyright (c) 2011-2015 JZ IT-Konsult AB*

Carrier  6:04 AM 

Done Settings Log

Time format HH:MM:SS

Date format yyyy-mm-dd

Show future reminders for following number of days 31  

Sounds Click: On, Alert: On

Max number of historical reminders 10000  

Max number of log entries 10000  

iCloud get iCloud put Sync settings Help

RemindIt, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB 

Done

Settings

Log

Time format

HH:MM:SS

Max number of
log entries

Date format

yyyy-mm-dd

10000

Show future
reminders for
following
number of days

31

Sounds

-

+

-

+

Click: On, Alert: On

Max number of
historical
reminders

10000

iCloud get

iCloud put

Help

Sync settings

-

+

*RemindIt, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB*

4.2 iPhone 5, 5s

iOS6:



Done

Settings

Log

Time format

HH:MM:SS

Max number of
log entries

10000

Date format

yyyy-mm-dd

-

+

Show future
reminders for

31

Sounds

Click: On, Alert: On

following

-

+

number of days

iCloud get

iCloud put

Sync settings

Help

Max number of

10000

historical
reminders

-

+

*RemindIt, 2.0, build 6662, 2015-09-26**Copyright (c) 2011-2015 JZ IT-Konsult AB*

◀ Back to Settings 6:32 AM 

Done Settings Log

Time format

Date format

Show future reminders for following number of days

Sounds

Max number of historical reminders

Max number of log entries

RemindIt, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB 



Done

Settings

Log

Time format	<input type="text" value="HH:MM:SS"/>	Max number of log entries	<input type="text" value="10000"/>
Date format	<input type="text" value="yyyy-mm-dd"/>		<input type="button" value="-"/> <input type="button" value="+"/>
Show future reminders for following number of days	<input type="text" value="31"/> <input type="button" value="-"/> <input type="button" value="+"/>	Sounds	<input type="text" value="Click: On, Alert: On"/>
Max number of historical reminders	<input type="text" value="10000"/> <input type="button" value="-"/> <input type="button" value="+"/>	<input type="button" value="iCloud get"/>	<input type="button" value="iCloud put"/> <input type="button" value="Sync settings"/> <input type="button" value="Help"/>

*RemindIt, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB*

4.3 iPhone 6, 6s

iOS7, iOS8, iOS9:

Carrier  9:06 PM 

Done Settings Log

Time format

Date format

Show future reminders for following number of days

Sounds

Max number of historical reminders

Max number of log entries

RemindIt, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB 

Done

Settings

Log

Time format

HH:MM:SS

Max number of
log entries

10000

-

+

Date format

yyyy-mm-dd

Sounds

Click: On, Alert: On

Show future
reminders for
following
number of days

31

-

+

iCloud get

iCloud put

Max number of
historical
reminders

10000

-

+

Sync settings

Help

*RemindIt, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB*

4.4 iPhone 6 Plus, 6s Plus

iOS7, iOS8, iOS9:

Carrier 6:43 AM

Done Settings Log

Time format

Date format

Show future reminders for following number of days

Sounds

Max number of historical reminders

Max number of log entries

RemindIt, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB

Done

Settings

Log

Time format Max number of log entries Date format Sounds Show future reminders for following number of days Max number of historical reminders *RemindIt, 2.0, build 6749, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB*

4.5 iPad 2, Retina, Air, Air 2

iOS6:



Done

Settings

Log

Time format Date format Show future reminders for following number of days Sounds Max number of historical reminders Max number of log entries 

iOS7, iOS8, iOS9:

Carrier 4:58 AM 100%

Done Settings Log

Time format HH:MM:SS

Date format yyyy-mm-dd

Show future reminders for following number of days 31 - +

Sounds Click: Off, Alert: On


Max number of historical reminders 10000 - +

Max number of log entries 10000 - +

iCloud get iCloud put Sync settings Help

RemindIt, 2.0, build 6890, 2015-10-25
Copyright (c) 2011-2015 JZ IT-Konsult AB


1




[\[Back to top\]](#)

4.6 iPad Pro

iOS9:





[\[Back to top\]](#)


5. Common information fields, controls and alerts

In this section are described all common information fields, controls and alerts used in almost all app views.

5.1 Common information fields, controls (Reminders and Series of Reminders)

Done

Terminate view without saving changes. When changes were made user will be prompted for decision what to do, by showing following alert:



User will have three possibilities:

- 1) Save changes, and exit, by choosing "Yes".
- 2) Discard changes and exit, by selecting "No".
- 3) Continue editing, by selecting "Cancel".

Swipe to the right.

Same as tapping "Done" button.



Terminate view and save changes.



10 minutes

For every reminder you can select time when local notification will be sent to you. You may select time from 0 minutes to 4 weeks. Just tap on field – and picker with all possible choices will popup:

Save

00

5 minutes



10 minutes

15 minutes

20 minutes

25 minutes

Description

Carrier  5:01 PM 

Done **New Series** Save

Description  5 minutes

New reminder |

Time 17:10  

Every 1 week  

that of to

Q W E R T Y U I O P

A S D F G H J K L

 Z X C V B N M 

123  space return

Description of reminded event.

To enter description, just tap on the field, keyboard will pop-up, and you will have possibility to type your text.

Time

08:30 AM

Time of reminded event.

Carrier 5:19 AM

Done New Series Save

Description 5 minutes

New reminder

Time 08:30 AM - +

Every 1 per day - +

08:27
08:28
08:29
08:30 AM
09:31 PM
10:32
11:33

0:00 hour(s) - +

Start 2015-10-06 - +

End X - +

Once Days Weeks Months Years

To enter time, just tap on the field, time-picker will pop-up, and you will have possibility to select time.

Time stepper:



To make adjustments and corrections of time you may use stepper:

Tapping on (-) decreases time by one minute.

Tapping on (+) increases time by one minute.

Keeping stepper pressed cause continuous value changes.

Date, Start date

Date	2015-10-05
------	------------

Start	2015-10-05
-------	------------

Date for reminder or start date for series of reminders – date when series of reminders starts.

To enter date, just tap on the field, date-

picker will pop-up, and you will have possibility to select date.

Carrier  6:46 AM 

Done **New Series** Save

Description  5 minutes

New reminder

Time	July	2	2012
	August	3	2013
	September	4	2014
Date	October 0-05	5	2015
	November	6	2016
	December	7	2017
	January	8	2018

Once Days Weeks Months Years



Done

New Series

Save

Description



5 minutes

New reminder

Time

05:10

-

+

Every

2

day

-

+

Times

4

per day

-

+

Every

July

2

2012

August

hour(3

2013

September

4

2014

Start

October

0-05

5

2015

November

6

2016

End

December

7

2017

January

8

2018

Once

Days

Weeks

Months

Years

Date, Start date stepper



To make adjustments and corrections of start date you may use stepper:

Tapping on (-) decreases date one day.

Tapping on (+) increases date one day.

Keeping stepper pressed cause continuous value changes.

End date

Carrier  5:35 PM 

Done **New Series** Save

Description  5 minutes

New reminder

Time 05:10  

Every 2 day  

Times 4 per day  

Every 3:00 hour(s)  

Start *July* 3 2012
August-10-05 4 2013
September 5 2014
End **October** 6 **2015**
November 7 2016


Once | **Days** | Weeks | 20 Months | Years

End date for series of reminders – date

when series of reminders ends.

To enter date, just tap on the field, date-picker will pop-up, and you will have possibility to select date

End date stepper:




To make adjustments and corrections of date you may use stepper:

Tapping on (-) decreases date one day.
Tapping on (+) increases date one day.

Keeping stepper pressed cause continuous value changes.

End date "clear" button




Taping on this button causes removing of end date.


5.2 Common alerts (Reminders and Series of Reminders)




Alert is shown when you are trying to enter 'End date' which is earlier than current date and time.




Alert is shown when you are trying to enter 'End date' which is earlier than current date and time.




Alert is shown when you are trying to enter 'Reminder date' which is earlier than current date and time.



Terminate view without saving changes. When changes were made user will be prompted for decision what to do, by following this alert:



Alert is shown when you are trying to save reminder or series of reminders without description.



Alert is shown when during editing of reminder start date is changed – moved forward, for example when you are moving start time before current time.

[\[Back to top\]](#)

6. Main view

It is view you will see when you start the app. View contains list of reminders and controls which allow you access to all app functions and options. Reminders are sorted by date and time – oldest first.

Dependent on how app was terminated when last time it was used, you will see one of the following:

First time start or after termination in Main view when selected reminder fit on the "first page" of reminders in Main view.

Reminders, which were overdue for more than 20 minutes ago, are shown in **red color**.

Reminders, which are overdue for less than 20 minutes are shown in **yellow color**.

Remainders, which will be overdue in 20 minutes or less, are shown in **green color**.

All other reminders have **blue color**.



New

Reminders

Details

2015-09-30 Wednesday

14:00 Fittnes

15:00 Do backup

15:05 Cal Ewa

20:00 Take medicin

2015-10-01 Thursday

19:00 Fittnes

2015-10-02 Friday

20:00 Meet Albert

2015-10-04 Sunday

08:00 Take out garbage container

18:00 Do backup

2015-10-05 Monday

11:00 Weekly unit meeting

2015-10-06 Tuesday

08:30 New reminder

2015-10-09 Friday

10:30 Visit dentist

2015-10-31 Saturday

08:00 Buy Visa invoice

History



Show all



New

Reminders

Details

 Enter search text**2015-09-29 Tuesday**

21:20 Cal Ewa

22:30 Go out with Molly

2015-09-30 Wednesday

00:00 Take medicin

05:00

06:20

06:30

08:00

10:00

15:00

19:00

20:00 Take medicin

2015-10-01 Thursday

00:00 Take medicin

05:00 Take medicin

10:00 Take medicin

15:00 Take medicin

19:00 Fittnes

20:00 Take medicin

History



Show overview



Previous app state was saved
and might be restored,

5 overdue reminder(s) found

[Restore app state](#)

[Go to reminders](#)

Start after termination when app was not in

Main view or when latest selected reminder was long time in the future (did not fit on the "first page" of reminders in Main view).

Restore app state

When you select "Restore app state" you will be redirected to exactly same view as it was when you were using app last time, all not saved data will be re-entered for you.

Go to reminders


When you choose "Go to reminders" you will be directed to the beginning of reminders list and previously saved app state will be lost.

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:


🔍 Enter search text

Search bar – used for searching "filtering" of reminders. When activated Main view will show only reminders containing text entered in search bar.


Main view will change to:



Here:



Keyboard



Search button – hides keyboard. Main view will show only items, which satisfies search condition, search text stays in search bar:

[New](#)[Reminders](#)[Details](#)**2015-09-29 Tuesday**

22:30 Go out with Molly

2015-09-30 Wednesday

06:30 Call Henrik

2016-08-10 Wednesday

08:10 Grandma's birthday

2016-09-30 Friday

08:00 John's birthday

[History](#)[Show overview](#)



Activated search bar, here:

“H” Searched text.



Button which clears search text.



Cancel button – terminates searching, search text is cleared, keyboard is hidden.



Starts [Series of reminders view](#) – view used for creation of new reminders.



Opens [Details view](#) for reminder.



Activates [History view](#) – list of completed reminders.



“Go to next overdue reminder” buttons – the next “overdue” reminder is selected. By tapping this button couple of times you will see all “overdue” reminders.



When there is no “overdue” reminders the button is disabled

Show overview

or

Show all

Buttons do switching view between showing all reminders and showing overview of reminders.

Tapping on “Show overview” will switch to “Show overview” mode, button text will change to “Show all”.

Tapping on “Show all” will switch to “Show all” mode, button text will change to “Show overview”.

In "Show all" mode all reminders from series are shown:

Carrier 5:22 PM

New Reminders Details

Q Enter search text

2015-09-30 Wednesday

- 15:00 Take medicin
- 17:25 Call Bob
- 17:25 Call Henrik
- 19:00 Fittnes
- 20:00 Take medicin

2015-10-01 Thursday

- 00:00 Take medicin
- 05:00 Take medicin
- 10:00 Take medicin
- 15:00 Take medicin
- 19:00 Fittnes
- 20:00 Take medicin

2015-10-02 Friday

- 00:00 Take medicin
- 05:00 Take medicin
- 10:00 Take medicin
- 15:00 Take medicin
- 20:00 Meet Albert
- 00:00 Take medicin

History  Show overview 

In "Overview mode" only one reminder per series ("oldest") is shown:

The screenshot shows the Reminders app interface. At the top, the status bar displays "Carrier", signal strength, "5:23 PM", and battery level. Below the status bar are three tabs: "New", "Reminders", and "Details". A search bar with a magnifying glass icon and the text "Enter search text" is positioned below the tabs. The main content area displays a list of reminders grouped by date. Each date header is in green, and the reminder text is in purple. The reminders are as follows:

- 2015-09-30 Wednesday**
 - 15:00 Take medicin
 - 17:25 Call Bob
 - 17:25 Call Henrik
 - 19:00 Fittnes
- 2015-10-02 Friday**
 - 20:00 Meet Albert
- 2015-10-04 Sunday**
 - 08:00 Take out garbage container
 - 18:00 Do backup
- 2015-10-05 Monday**
 - 11:00 Weekly unit meeting
- 2015-10-09 Friday**
 - 10:30 Visit dentist
- 2015-10-31 Saturday**
 - 08:20 Pay Visa invoice
- 2016-02-17 Wednesday**
 - 08:00 Wedding anniversary
- 2016-08-10 Wednesday**
 - 08:10 Grandmole birthday

At the bottom of the screen, there is a navigation bar with the following elements from left to right: "History", a calendar icon, "Show all", and an information icon (i).



Activates [Settings view](#) – view used to change app parameters and options.

Double tap on reminder

Same as following actions:

- 1) Mark reminder.
- 2) Tap “Details” button.

Swipe reminder to the right

Same as following actions:

- 1) Mark reminder.
- 2) Tap details button.
- 3) Change status of reminder to “Completed”.
- 4) Save changes by tapping “Save” button.


Swipe reminder to the left

Same as following actions:

- 1) Mark reminder.
- 2) Tap details button.
- 3) Tap “Edit reminder” or “Single reminder” dependent on reminder is one time reminder or part of series.
- 4) Tap “Delete” button.

When you try to delete by swiping to the

left, the confirmation alert view is shown:



- 1) To delete reminder answer "Yes".
- 2) To keep reminder answer "No".

[\[Back to top\]](#)

7. Reminders and Series of Reminders

Reminder is message that reminds you to do something ([Reminder - according to Cambridge Dictionaries Online](#)). Reminders can be “single” or “multiple”. Single reminder reminds you about something what is going to happen one time – for example about visiting the dentist on 10-th November. Multiple or requiring reminders remind you about something what is going to happen regularly, like every year, every month, every 4.th hour.

In RemindIt app multiple reminders are described with help of [Series of reminders](#).

Reminders created with help of Series of reminders have exactly same properties as “single reminders” - might be edited, excluded from series or deleted without affecting of others reminders in series.

[\[Back to top\]](#)

8. Reminder details view

Reminder details view shows details about reminder and allows:

- 1) Adjust time when local notification about reminder will be sent, here you can select time from 0 minutes to 4 weeks.
- 2) Access single reminder of series.
- 3) Initialize editing of one time reminder.
- 4) Change status of reminder to "Completed".
- 5) Add comment to completed reminders.

Done

Details

Save

Date/Time

2015-09-30 15:00

Description



5 minutes

Take medicin

Status

Pending

Completed

Comment for 'Completed'

Single reminder

Series

or

Done

Details

Save

Date/Time

2015-09-30 17:25

Description



0 minutes

Call Henrik

Status

Pending

Completed

Comment for 'Completed'

Edit reminder


Series

Controls in this view – common controls

described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:



or



Use this control to change status of reminder.

When status of reminder is changed to “Completed” it will be possible to add comment to reminder.



Done

Details

Save

Status

Pending

Completed

Comment for 'Completed'

Done

"Done"

Donee

Donegal

Q W E R T Y U I O P

A S D F G H J K L



Z X C V B N M



123



space

return

Single reminder

Use this control to initialize editing of reminders, which are part of series.

The screenshot shows the 'Reminder' editing screen in an iOS app. At the top, the status bar displays 'Carrier', a Wi-Fi signal, the time '6:23 PM', and a battery icon. The navigation bar contains 'Done', 'Reminder', 'Delete', and 'Save'. Below the navigation bar, the 'Description' field is labeled and contains the text 'Weekly unit meeting'. To the right of the description is a clock icon and a '10 minutes' duration field. Below the description is a large white text area. At the bottom, there are controls for 'Time' (set to '11:00') and 'Date' (set to '2015-10-05'), each with minus and plus buttons. There is also an 'Exclude from series' toggle set to 'No'. At the very bottom, a segmented control shows options for 'Once', 'Days', 'Weeks', 'Months', and 'Years', with 'Once' currently selected.

Carrier 6:23 PM

Done Reminder Delete Save

Description 10 minutes

Weekly unit meeting

Time 11:00 - +

Date 2015-10-05 - +

Exclude from series Yes No

Once Days Weeks Months Years

The [Series of reminders view](#) with reminder data will be opened.

You will have possibility to:

- 1) Delete reminder.
- 2) Exclude reminder from series.
- 3) Select time when local notification will be sent.

Edit reminder

Use this control to start editing of one time reminders



Done

Reminder

Delete Save

Description



0 minutes

Call Henrik

Time

17:25

-

+

Date

2015-09-30

-

+

Once

Days

Weeks

Months

Years

The [Series of reminders view](#) with reminder data will be opened.

Here you can change all reminder data, such as:

- 1) Description.
- 2) Time when local notification will be sent.
- 3) Time of reminder.
- 4) Date of reminder.

Series

Use this control to start editing of series of reminders.

Done

Edit Series

Delete Save

Description



10 minutes

Weekly unit meeting

Time

11:00

-

+

Every

1

week

-

+

Day

M

T

W

T

F

S

S



Start

2015-09-30

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

For details please follow link: [Series of reminders view](#)

[\[Back to top\]](#)

9. Series of reminders view


View contains five sub-views used for different types of reminders:

- 1) Once: one-time events –reminder about something what need to be done on a defined date and time.
- 2) Days: daily events, one or couple of times per day – requiring events with repetition pattern based on days.
- 3) Weeks: weekly events – requiring events with repetition pattern based on weeks.
- 4) Months: monthly events – requiring events with repetition pattern based on months.
- 5) Years: yearly events – requiring events with repetition pattern based on years.

[\[Back to top\]](#)

9.1 Once

This sub-view is used for creation of one-time events –reminder about something what need to be done on a defined date and time.



To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Reminder date – the day when reminded event is going to happen.

Controls in this view are described in [Common information fields, controls \(Reminders and Series of Reminders\)](#)

[\[Back to top\]](#)

9.2 Days

This sub-view is used for creation of reminders about events which are going to happen daily, every day, every second day, every third day,...., one or couple of times per day – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on days, like every day, every second day...
- 5) Repetition pattern based on hours:
 - a. How many times per day.
 - b. How many hours between events.
- 6) Start date.
- 7) End date.

Done

New Series

Save

Description



5 minutes

New reminder

Time

05:10

-

+

Every

2

day

-

+

Times

4

per day

-

+

Every

3:00

hour(s)

-

+

Start

2015-10-05

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Every <n> day:

Every day

Carrier 5:05 AM

Done **New Series** Save

Description  5 minutes

New reminder

Time 05:10 1

Every 2 **2** day 3

Times 4 4 per day 5

Every 3:00 hour(s) 1

Start 2015-10-05 1

End X 1

Once **Days** Weeks Months Years

To select repetition pattern based on days just tap on the field, picker will pop-up and you will have possibility to choose right number.

Every <n> day stepper:



To make adjustments and corrections of repetition pattern you may use stepper:

Tapping on (-) decreases number by one day.

Tapping on (+) increases number by one day.

Keeping stepper pressed cause continuous value changes.

Times per day:



Carrier 5:10 AM

Done New Series Save

Description  5 minutes

New reminder

Time 05:10

Every day

Times per day

Every hour(s)

Start 2015-10-05

End

Once Days Weeks Months Years

To select how many times per day, the reminder event should be populated just tap on field and by using of picker select required frequency.

Times per day stepper:



To make adjustments and corrections of "Times per day" you may use stepper:

Tapping on (-) decreases number by one.

Tapping on (+) increases number by one.

Keeping stepper pressed cause continuous value changes.

Every <n> hours:



Carrier 5:22 AM

Done **New Series** Save

Description  5 minutes

New reminder

Time 05:10

Every 2 day

Times 2:00 per day

Every 3:00 hour(s)

Start 4:00 -05

End

Once **Days** Weeks Months Years

To select time between daily repetitions of reminders, just tap on field and by using of picker select required value.

Every <n> hours stepper:



To make adjustments and corrections of time between daily repetitions of reminders you may use stepper:

Tapping on (-) selects previous value.

Tapping on (+) selects next value.

Keeping stepper pressed cause continuous value changes.

[\[Back to top\]](#)

9.3 Weeks

This sub-view is used for creation of reminders about events which are going to happen weekly, every week, every second week, every third week, ..., on certain days of week – requiring events with repetition pattern based on weeks.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on weeks, like every week, every second week...
- 5) Week days when event is going to happen.
- 6) Start date.
- 7) End date.

Done

New Series

Save

Description



5 minutes

New reminder

Time

21:30

-

+

Every

1

week

-

+

Day

M

T

W

T

F

S

S

Start

2015-10-28

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

Controls in this view – common controls

described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Every <n> week:

Every week

Carrier 6:30 AM

Done Edit Series Delete Save

Description  5 minutes

New reminder

Time 01:30 -

Every 3 week -

Day T W T F S S

Start 2015-10-06 -

End X -

Once Days Weeks Months Years

To select repetition pattern based on weeks just tap on the field, picker will pop-up and you will have possibility to choose right number.

Every <n> week stepper:



To make adjustments and corrections of repetition pattern you may use stepper:

Tapping on (-) decreases number by one.
Tapping on (+) increases number by one.

Keeping stepper pressed cause continuous value changes.

Week days:

	M	T	W	T	F	S	S
Day	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

To select week days for event just tap on squares corresponding to required week days. When selected day is marked with "X". To deselect tap square again.

[\[Back to top\]](#)

9.4 Months

This sub-view is used for creation of reminders about events which are going to happen monthly, every second, third... month – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Repetition pattern based on months, like every month, every second month...
- 5) Type of repetition (on defined day, every 1st, every 2nd, every 3rd, every 4th, last, every).
- 6) Type of day when repetition should happen (day number for "day", week day or group of week days for every 1st, every 2nd, every 3rd, every 4th, last, every).
By combination of (5) and (6) you can create repetitions, such as:
 - 13th day every month.
 - Every 2nd Friday of the month.
 - Every Monday.
- 7) Start date.
- 8) End date.

Done

Edit Series

Delete Save

Description



5 minutes

New reminder

Time

08:30

-

+

Every

3

month

-

+

The

day

10

Start

2015-10-06

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

Controls in this view – common controls

described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Every <n> month:

Every month

Carrier 6:32 AM

Done Edit Series Delete Save

Description  5 minutes

New reminder

Time 01:30 - +

Every 3 month - +

The 5 day 10

Start 2015-10-06 - +

End X - +

Once Days Weeks Months Years

To select repetition pattern based on months just tap on the field, picker will pop-up and you will have possibility to choose right type of repetition.

Every <n> month stepper:



To make adjustments and corrections of repetition pattern you may use stepper:

Tapping on (-) decreases number by one.
Tapping on (+) increases number by one.

Keeping stepper pressed cause continuous value changes.

Type of repetition:



Carrier 6:41 AM

Done Edit Series Delete Save

Description  5 minutes

New reminder

Time 08:30

Every day month

The Tuesday

Start 2015-10-06

End

Once Days Weeks Months Years

To select type of repetition just tap on the field, picker will pop-up and you will have possibility to choose right number.


Carrier 6:42 AM

Done Edit Series Delete Save

Description  5 minutes

New reminder

Time 08:30 - +

Every 2 month  +

The day 10

Start 2015-10-06 +

End X - +

Once Days Weeks Months Years

When "day" was selected in first step you will select day number by tapping on next field, picker with possible values will pop-up.



Done

Edit Series

Delete Save

Description



5 minutes

New reminder

Time

08:30

-

+

Every

2

month

Mon-Fri+

Sat-Sun

Monday

Tuesday

Wednesday

Thursday

Friday

The

3rd

Start

2015-10-06

End

X

-

+

Once

Days

Weeks

Months

Years

When "every 1st", "every 2nd", "every 3rd", every "4th", "last", "every" was selected in

first step you have to select type of day by tapping on next field. Picker with possible values will pop-up.

[\[Back to top\]](#)

9.5 Years

This sub-view is used for creation of reminders about events which are going to every year – requiring events with repetition pattern based on days.

To create reminder of this type you need to supply following information:

- 1) Time when local notification will be sent.
- 2) Description.
- 3) Reminder time.
- 4) Months of year.
- 5) Type of repetition (day, every 1st, every 2nd, every 3rd, every 4th, last, every).
- 6) Type of day when repetition should happen (day number for "day", type of week day for every 1st, every 2nd, every 3rd, every 4th, last, every).

By combination of (5) and (6) you can create repetitions, such as:

- 13th day in August.
- Every 2nd Friday in August.
- Every Monday in August.

- 7) Start date.
- 8) End date.

Done

Edit Series

Delete Save

Description



5 minutes

New reminder

Time

08:30

-

+

Every

October

-

+

The

day

6

Start

2015-10-06

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

Controls in this view – common controls

described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Month:

Every	October
-------	---------

Done

Edit Series

Delete Save

Description



5 minutes

New reminder

Time

July
08 August
September

Every

October
November
December

The

day 6

Start

2015-10-06



End

X



Once

Days

Weeks

Months

Years

To select month just tap on the field, picker

will pop-up and you will have possibility to choose right value.

Month stepper:



To make adjustments and corrections of selected month:

Tapping on (-) selects previous month.

Tapping on (+) selects next month.

Keeping stepper pressed cause continuous value changes.

Type of repetition:



Done

New Series

Save

Description



5 minutes

New reminder

Time

08:51

-

+

Every

August
day

-

+

The

day 2nd

10

Start

2014-08-10

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

To select type of repetition just tap on the field, picker will pop-up and you will have possibility to choose right value.

Carrier 4:58 PM

Done Edit Series Delete Save

Description  5 minutes

New reminder

Time 08:30

Every November

The day

Start 2015-10-06

End

Once Days Weeks Months **Years**

When "day" was selected in first step you will select day number by tapping on next field, picker with possible values will pop-up

Done

Edit Series

Delete Save

Description



5 minutes

New reminder

Time

08:30

-

+

Every

November

Mon-Fri +

Sat-Sun

Monday

Tuesday

Wednesday

Thursday

Friday

The

last

Start

2015-10-06

-

+

End

X

-

+

Once

Days

Weeks

Months

Years

When "1st", "2nd", "3rd", "4th", "last", "every"

was selected in first step you have to select type of day by tapping on next field. Picker with possible values will pop-up.

[\[Back to top\]](#)

10. History view

View contains list of completed reminders sorted by date – latest first.

Done	Reminders history	Details
<input type="text" value="Enter search text"/>		
2015-09-30 Wednesday		
10:00	Take medicine	
08:00	Take out garbage container	
05:00	Take medicine	
2015-09-29 Tuesday		
22:30	Go out with Molly	
21:20	Cal Ewa	
2015-08-10 Monday		
08:10	Grandma's birthday	
2015-02-17 Tuesday		
08:00	Wedding anniversary	
2014-08-10 Sunday		
08:10	Grandma's birthday	
2014-02-17 Monday		
08:00	Wedding anniversary	
2013-08-13 Tuesday		
19:00	Take medicine	
19:00	Fittnes	
14:00	Take medicine	
09:00	Take medicine	
2013-08-12 Monday		

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Details

Terminate view, go back to [Main view](#).

Double tap on reminder

Same as following actions:

- a. Mark reminder.
- b. Tap "Details" button.

Swipe reminder to the right

Same as actions:

- a. Mark reminder.
- b. Tap details button.
- c. Tap "Restore" button.

11. History details view

Carrier  5:17 PM 

Done **Details** Save

Date/Time 2015-09-29 21:20

Description  0 minutes

Cal Ewa

Completed Date/Time 2015-09-30 17:14:54

Comment for 'Completed'

Status changed by swipe gesture

Restore Series

History details view contains detailed

information about completed reminder:
More exactly here you will see:

- 1) Date/Time of reminder.
- 2) Time when local notification will be sent.
- 3) Description.
- 4) Date and time when reminder has changed status to "Completed".
- 5) Comment.

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Restore

This button moves reminder from history back to ordinary reminders. Comment and date/time for completion of reminder will be lost.

Series


or

Series

Tapping of this button (when it is enabled) will redirect you to [Series of reminders view](#), view data will be taken from historical reminder. This can be used for reviewing of series for reminders or for re-activation of already completed series of reminders.

Button is enabled only for historical reminders related to series of reminders

Editing of comment




To change comment just tap on comment field and do all necessary changes. Later on you have to save changes by tapping on "Save" button.

[\[Back to top\]](#)

12. Settings view

This view allows you to configure some system parameters and settings. From this view you have also access to [Log view](#), [Sync settings View](#), [Statistics view](#) and [Help view](#)



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:




Terminate view and save changes. Go to [Log view](#).



Terminate view and save changes. Go to [Sync settings View](#).



Terminate view and save changes. Go to [Statistics view](#)



Terminate view and save changes. Go to [Help view](#).

Time format

HH:MM:SS

Determines time format in all views.

The screenshot shows the settings interface for the RemindIt! application. At the top, the status bar displays 'Carrier', a Wi-Fi signal icon, the time '9:51 PM', and a battery level icon. The settings page has a white header with 'Done' on the left, 'Settings' in the center, and 'Log' on the right. A blue dropdown menu is open over the 'Time format' setting, showing three options: 'HH:MM:SS' (which is highlighted), 'HH:MM:SS AM/PM', and 'yyyy-mm-dd'. Below the dropdown, the 'Date format' setting is visible. Further down, there are settings for 'Show future reminders for following number of days' (set to 31), 'Sounds' (set to 'Click: On, Alert: On'), 'Max number of historical reminders' (set to 10000), and 'Max number of log entries' (set to 10000). At the bottom, there are four buttons: 'iCloud get', 'iCloud put', 'Sync settings', and 'Help'. The footer contains the text 'RemindIt!, 2.0, build 6748, 2015-10-06' and 'Copyright (c) 2011-2015 JZ IT-Konsult AB', along with an information icon.

Carrier 9:51 PM

Done Settings Log

Time format **HH:MM:SS**

HH:MM:SS AM/PM

yyyy-mm-dd

Date format

Show future reminders for following number of days 31 - +

Sounds Click: On, Alert: On

Max number of historical reminders 10000 - +

Max number of log entries 10000 - +

iCloud get iCloud put Sync settings Help

RemindIt!, 2.0, build 6748, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB

Date format

yyyy-mm-dd

Determines date format in all views.

The screenshot shows the Settings app interface. At the top, the status bar displays "Carrier" with a signal strength icon, "9:52 PM", and a battery level icon. The title bar shows "Done" on the left, "Settings" in the center, and "Log" on the right. The main content area lists several settings:

- Time format:** Set to "HH:MM:SS".
- Date format:** A dropdown menu is open, showing three options: "yyyy-mm-dd" (selected), "dd-mm-yyyy", and "mm-dd-yyyy".
- Show future reminders for following number of days:** Set to "3", with minus and plus buttons.
- Sounds:** Set to "Click: On, Alert: On".
- Max number of historical reminders:** Set to "10000", with minus and plus buttons.
- Max number of log entries:** Set to "10000", with minus and plus buttons.

At the bottom of the screen, there are four buttons: "iCloud get", "iCloud put", "Sync settings", and "Help".

RemindIt, 2.0, build 6748, 2015-10-06
Copyright (c) 2011-2015 JZ IT-Konsult AB



Show future reminders for following number of days

31

–

+

Determines how many requiring reminders from series will be shown in [Main view](#). For example when this parameter is 31, Main view will contain 31 reminders of type “every day”.

Parameter affects only requiring reminders. Every series of reminders will have at least one “representative” in Main view.

When “End date” does not expire and some reminders from series are moved to history or deleted, the new “next in series” reminders will be populated.

Sounds

Click: On, Alert: On

Determines system sounds, there are two types of sounds, which can be configured:

- Click – confirmation sound for opening the view, changing orientation, etc.
- Alert – ring tone for local notification

You may select all combinations of system sounds by selecting them with picker



Done

Settings

Log

Time format

HH:MM:SS

Date format

yyyy-mm-dd

Show future
reminders for
following
number of days

31



Sounds

Max number of
historical
reminders

10000



Max number of
log entries

10000



iCloud get

iCloud put

Sync settings

Help



Max number of historical reminders

10000

-

+

Determines maximum number of entries in reminders history. When number of historical reminders exceeds this number the oldest reminders will be deleted.

Max number of log entries

10000

-

+

Determines maximum number of entries in system log. When number of log entries exceeds this number the oldest log entries will be deleted.

iCloud get

Force copying app data from iCloud (overrides standard strategy based on modification date/time and size of data)


iCloud put

Force copying app data to iCloud (overrides standard strategy based on modification date/time and size of data).

[\[Back to top\]](#)

13. Sync settings view

This view is used to configure what data should be synchronized with iCloud. View looks like this:



Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:




Determines if app will use iCloud for storing and synchronization of data and settings.



Determines if app settings will be synchronized with iCloud and restored on all your iOS devices with same iCloud account



Determines if app data will be synchronized with iCloud and restored on all your iOS devices with same iCloud account.



Force copying app settings from iCloud.

Put iCloud app settings

Force copying app settings to iCloud.

Remove iCloud app settings

Remove app settings from iCloud.

Get iCloud app data

Force copying app data from iCloud (overrides standard strategy based on data modification date/time and size).

Put iCloud app data

Force copying app data to iCloud (overrides standard strategy based on data modification date/time and size).

Remove iCloud app data

Remove app data from iCloud.

[\[Back to top\]](#)

14. Statistics view

This view shows statistics about usage of app and other related information:

Information which is shown:

- 1) Version, build number, build date.
- 2) Resolution of device screen.
- 3) Battery level.
- 4) Memory usage statistics.
- 5) App usage statistics.
- 6) Information about Reminder database.
- 7) Information about Log database.
- 8) List of files in app document directory.
- 9) App files sizes.
- 10) Modification date time for local and iCloud databases.

Done

Statistics

Reset

RemindIt, 2.0, build 6749, 2015-10-06

iPhone OS 9.0, iPhone,
Resolution: 1242 x 2208,
Battery level: -100.0%

Memory in use (Mbytes):	75.6
Max memory used (Mbytes):	88.9
Average memory used (Mbytes):	73.4

Time max used:	2015-09-26 07:39:12
Number of memory checks:	350

First app use:	2015-09-22 17:40:16
Number of app uses:	20
Total time app used:	7:04:13
Average time app used:	0:21:12

Number of reminders:	274
Number of historical reminders:	1348
Number of series of reminders:	95

Number of log entries:	894
------------------------	-----

List of files in document directory:

RemindIt.Version.2.0	:	0
RemindIt.status	:	673
RemindIt.statistics	:	596
RemindIt.setup	:	710
RemindIt.log.db	:	159744
RemindIt.data.db	:	151552

Total bytes:	313275
Total Mbytes:	0.3


Local DB date/time:	2015-10-06 16:40:07
iCloud DB date/time:	2015-10-06 16:40:07

Controls in this view – common controls described in [Common information fields](#).

controls (Reminders and Series of Reminders) and additionally:

Reset

Reset statistics - clears accumulated statistics and sets to zero system-counters.



To reset statistics you must answer "Yes" on alert question.

[\[Back to top\]](#)

15. Log view

Log view contains list of all system events. Every event might be investigated by activating [Log details view](#).



The screenshot shows an iOS interface for viewing system logs. At the top, there is a status bar with 'Carrier', signal strength, Wi-Fi, and the time '5:14 PM'. Below the status bar is a navigation bar with three items: 'Done', 'Log', and 'Details'. Underneath the navigation bar is a search bar with a magnifying glass icon and the placeholder text 'Enter search text'. The main area contains a list of log entries, each with a date, time, and message. The first entry is highlighted in yellow.

Date	Time	Message
2015-10-07	17:14:22	INFO: starting Log View
2015-10-07	17:14:20	INFO: starting Settings View
2015-10-07	17:14:17	INFO: app become active: RemindItV...
2015-10-07	17:14:17	INFO: Starting program
2015-10-07	17:14:17	INFO: DB file timestamp restored t...
2015-10-07	17:14:17	INFO: Generated: 5 reminder(s)
2015-10-07	17:14:17	INFO: openRemindItDB: OK, database...
2015-10-07	17:14:17	INFO: opening RemindIt.data.db:
2015-10-07	17:14:17	ERROR: program did not terminated...
2015-10-07	17:14:17	START: didFinishLaunchingWithOptio...
2015-10-07	17:14:17	INFO: openLogDB: OK, database open...
2015-10-06	21:19:05	INFO: starting Settings View
2015-10-06	21:19:03	INFO: terminating 'Historical Remi...
2015-10-06	21:19:01	INFO: terminating 'Reminder Detail...
2015-10-06	21:18:52	MEMORY: 75.7 Mbytes
2015-10-06	21:17:55	INFO: starting Reminder Details Vi...
2015-10-06	21:17:53	INFO: terminating 'Reminder Detail...
2015-10-06	21:16:52	MEMORY: 75.4 Mbytes
2015-10-06	21:16:24	INFO: starting Reminder Details Vi...
2015-10-06	21:16:22	INFO: terminating 'Reminder Detail...
2015-10-06	21:15:52	MEMORY: 72.0 Mbytes
2015-10-06	21:14:52	MEMORY: 62.5 Mbytes
2015-10-06	21:14:10	INFO: starting Reminder Details Vi...
2015-10-06	21:13:56	INFO: starting Historical Reminder...
2015-10-06	21:13:53	INFO: app become active: RemindItV...
2015-10-06	21:13:53	INFO: Starting program

Controls in this view – common controls described in [Common information fields, controls \(Reminders and Series of Reminders\)](#) and additionally:

Details

Open [Log details view](#).

Double tap on log event

Same as following actions:


- a. Mark reminder.
- b. Tap “Details” button.

Shake phone

Refresh log events.

16. Log details view

View shows detailed information about log entry.



Done

Log details

Date/time

2015-10-06 18:15:43


Description

```
NOTIF: scheduled 64 notification(s) of 214:
  First: 2015-10-06 18:20[41], icon badge number: 42
  Last: 2015-10-16 23:55[104], icon badge number: 105
Number of scheduled local notifications: 64
BadgeNumber: 42 2015-10-06 18:20, 2015-10-06 19:00 Fitness
BadgeNumber: 43 2015-10-06 19:55, 2015-10-06 20:00 Take medicin
BadgeNumber: 44 2015-10-06 23:55, 2015-10-07 00:00 Take medicin
BadgeNumber: 45 2015-10-07 04:55, 2015-10-07 05:00 Take medicin
BadgeNumber: 46 2015-10-07 09:55, 2015-10-07 10:00 Take medicin
BadgeNumber: 47 2015-10-07 14:55, 2015-10-07 15:00 Take medicin
BadgeNumber: 48 2015-10-07 18:20, 2015-10-07 19:00 Fitness
BadgeNumber: 49 2015-10-07 19:55, 2015-10-07 20:00 Take medicin
BadgeNumber: 50 2015-10-07 23:55, 2015-10-08 00:00 Take medicin
BadgeNumber: 51 2015-10-08 04:55, 2015-10-08 05:00 Take medicin
BadgeNumber: 52 2015-10-08 09:55, 2015-10-08 10:00 Take medicin
BadgeNumber: 53 2015-10-08 10:30, 2015-10-09 10:30 Visit dentist
BadgeNumber: 54 2015-10-08 14:55, 2015-10-08 15:00 Take medicin
BadgeNumber: 55 2015-10-08 18:20, 2015-10-08 19:00 Fitness
```

[\[Back to top\]](#)

17. Help view

This view shows user guide for app.



Done

Help

Back

[6. Main view](#)

[7. Reminders and Series of reminders](#)

[8. Reminder details view](#)

[9. Series of reminders view](#)

[9.1 Once](#)

[9.2 Days](#)

[9.3 Weeks](#)

[9.4 Months](#)

[9.5 Years](#)

[10. History view](#)

[11. History details view](#)

[12. Settings view](#)

[13. Sync settings view](#)

[14. Statistics view](#)

[15. Log view](#)

[16. Log details view](#)

[17. Help view](#)

Controls in this view – common controls described in [Common information fields.](#)

[controls \(Reminders and Series of Reminders\)](#) and additionally:

Back

Navigate to previous place in help.

[\[Back to top\]](#)